RED WING SHOES®

EVERY STEP COVERED

WITH RED WING FOR BUSINESS

LET US HANDLE EVERY STEP

We want to make things simple for you. It starts with unsurpassed safety footwear quality, convenience and selection. Next comes expert service for building your ideal work boot program. Only Red Wing® covers you this way—every step of the way, and for the long haul. To keep your employees safe and productive in any work environment.

TABLE OF CONTENTS

RED WING FOR BUSINESS
Partner with Red Wing for your employees' safety footwear.

pg. 4 - 7

NEW PRODUCTS
- Red Wing Exos Lite (Spring 2020)
- Red Wing Traction Tred Lite (Fall 2020)
- Red Wing Zero-G Lite (Available Now)
- Irish Setter Ironton (Fall 2020)
- WORX Nitro (Fall 2020)

pg. 8 - 10

PURPOSE-BUILT SAFETY FOOTWEAR
See all styles rwsc.co/catalog

OXFORD/CHUKKA
pg. 11 - 21

ATHLETIC/HIKER
pg. 22 - 34

6-INCH
pg. 35 - 56

8-9-INCH
pg. 57 - 68

LOGGER/LINEMAN
pg. 69 - 71

PULL-ON
pg. 72 - 82

METATARSAL GUARD
pg. 83 - 90

WOMEN'S
pg. 91 - 106

REFERENCE
- Technology Reference
- Size Comparison Chart
- Standards and Testing

pg. 107 - 112

WARRANTIES
pg. 113

INDEX
pg. 114 - 115

RED WING FOR BUSINESS

PROTECT YOUR WORKERS. STREAMLINE SAFETY.

"Red Wing's work boot program has helped us reduce slip, trip and fall injuries by 36% and injury severity by 70%, improving employee morale and wellness."

Dennis Tarosky
President, UtiliQuest

RED WING FOR BUSINESS

SELECTION

CONVENIENCE

SERVICE

SIMPLICITY

YOU NAME THE WORK. WE'VE GOT THE BOOTS.

RED WING SHOES®

IRISH SETTER

WORX® BY RED WING SHOES

- 250+ industry-specific footwear styles
- Three trusted brands
- Extended length and width options, plus custom fit styles
- All safety footwear meets ASTM F2413

Return to Table of Contents

SIMPLIFY YOUR EXPERIENCE



Interested in a demo? Contact your Red Wing sales professional to see how Red Wing for Business can help you maximize your crew's safety and minimize your workload.

The cornerstone of Red Wing for Business is the Red Wing Business Advantage Account. It provides secure access to a streamlined web portal that makes it easy to manage every aspect of your safety footwear program.

RECEIVE INVOICES YOUR WAY

- Flexibility to have consolidated or decentralized invoices
- Choose your invoicing frequency
- Find any invoice to review transaction details

MANAGE EMPLOYEE ELIGIBILITY WITH DIGITAL VOUCHERS

- Choose from multiple eligibility/voucher options that can be distributed digitally or printed
- Manage eligibility/voucher distribution centrally or at multiple sites
- Deactivate eligibility/vouchers in real-time to match employee turnover and have peace-of-mind in controlling purchases on your program

RUN DETAILED REPORTS

- Maximize transparency with personalized reports
- Use standard or custom formats
- Review payroll deductions (if applicable)

RESPONSIVE, EXPERT SALES AND SERVICE NETWORK ACROSS NORTH AMERICA.

We feel fortunate to have such an experienced and deep team of experts serving our customers. Our knowledgeable sales and support teams will be there with you every step of the way.

10 LAYERS OF SUPPORT

- President
- Director of Industrial Business
- Regional Industrial Director
- National Accounts Manager
- Industrial Sales Manager
- Region Operations Manager
- Area Retail Manager
- Mobile Store Fit Specialists
- Store Manager / Fit Specialists
- Customer Experience

Visit redwingsafety.com or call 1.800.239.1064 to be connected with your sales representative.

UNPARALLELED NATIONAL PRESENCE

With Red Wing for Business, your employees can buy high-quality footwear wherever it's most convenient for them to shop. No competitor can match the breadth, depth, and flexibility of our distribution network.

CLOSE TO WHERE YOU ARE.

- 500+ Red Wing Stores
- 700+ authorized Red Wing retailers

WE'LL EVEN BRING A STORE TO YOU.

- 170+ Red Wing Mobile Stores nationwide
- Staffed by Red Wing Certified Fit Specialists
- Customized footwear selection for your workplace
- One of the largest fleets of mobile units in the industry

Find the participating retailer nearest you at
redwingsafety.com/storelocator

Return to Table of Contents

YOUR EMPLOYEES WILL GET EXPERT ADVICE FOR THE ULTIMATE FIT

OUR ULIMATE FIT EXPERIENCE OFFERS THE COMPLETE, PERSONALIZED PACKAGE FOR YOUR EMPLOYEES.

At Red Wing Stores, our Certified Fit Specialists are there to help narrow your program's approved footwear through selection and fitting, and set your employees up with the right footbeds, socks and aftercare products to ensure their all-day comfort.

LIFETIME TUNE UP

When your employees stop by our stores, we'll personally see to it that their ultimate fit continues over the long term with conditioning, replacement laces or additional services.

UNBEATABLE WARRANTY COVERAGE

Red Wing Shoes®, Irish Setter® Work and WORX® are backed by some of the most comprehensive limited warranties in the industry, including our 30-Day Unconditional Comfort Guarantee for Red Wing branded products. See page 113.

INTRODUCING THREE NEW RED WING FAMILIES, LIGHTWEIGHT LIKE NEVER BEFORE.

EXOS LITE

OUR LIGHTEST WORK BOOT. EVER.

From top to bottom and inside out, innovative engineering at every design detail has produced the lightest Red Wing-branded boot ever made, with no performance tradeoffs.

- 01 — SWITCHBACK SUPPORT SYSTEM
  Provides structure where needed and eliminates bulk and weight.
- 02 — VIBRAM® LITEBASE COMPOUND
  Innovative technology engineered to reduce sole weight while upholding exceptional performance.

AVAILABLE SPRING 2020

See Exos Lite styles on pages 40, 41 and 60

The backbone of the EXOS LITE work boot is the **SWITCHBACK SUPPORT SYSTEM.** This next-level design concept represents a complete reimagining of the boot's upper, and is built with integrated TPU-cord construction. This innovative "switchback" technique requires less material and relies on fewer leather overlaps than a traditional work boot, which greatly reduces the boot's weight without sacrificing support, comfort and durability.

Return to Table of Contents

TRACTION TRED LITE

AS ICONIC AS IT'S EVER BEEN

LIGHTER THAN IT'S EVER BEEN BEFORE

HONORS THE PAST. BUILT FOR THE FUTURE.

See Traction Tred Lite styles on pages 42, 43, 63

ZERO-G LITE

THE LIGHTWEIGHT HEAVYWEIGHT.

See Zero-G men's styles on pages 12, 14, 15 and women's styles on pages 91 ,93, 94

LATEST PRODUCT INNOVATION FROM IRISH SETTER® AND WORX®

IRONTON FAMILY

HOW TO IMPROVE THE RUBBER WORK BOOT—DON'T USE RUBBER.

The right tool for tough jobs. Built with polyurethane instead of rubber, these boots repel almost anything you can throw at them, including water, gas or oil.

PERFORMANCE FIT
with tapered design through the ankle for exceptional heel hold and snug fit.

ANTIMICROBIAL LINER
reduces foot odor.

CUSTOMIZABLE HEIGHT
by using the score line to cut the boot down to a lower height.

Style 89010
pg. 82

NITRO SERIES

ON TREND AND WORK READY.

These stylish shoes combine athletic shoe comfort with the safety features and best-in-class slip resistance needed for work.

GUMTEK SOLE
Durable rubber platform offers best-in-class slip-resistance and stands up to abrasion

Men's Style 5019
pg. 18

Women's Style 5132
pg. 101

Return to Table of Contents

— 46 STYLES —

OXFORD / CHUKKA

Stylish protection from office door to production floor.

RED WING COMFORTPRO Men's Slip-On

6705 NT SD

UPPER: Full Grain Brown Rosseto Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 224
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 35
SIZES: D 7-12,13,14,15 EE 7-12,13 H 8-12,13

HRO

SOLE RESISTANCE CHART

Dual Density BLVD

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

PR Puncture Resistant
Resistente a las Perforaciones

MT Metatarsal Guard
Protector del Metatarso

EH Electrical Hazard
Peligro Eléctrico

SD Static-Dissipative
Disipador de Estática

1.800.239.1064
redwingsafety.com

Return to Table of Contents

RED WING COMFORTPRO Men's Slip-On

6706 NT EH

UPPER: Full Grain Black Rosseto Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 224
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13 H 8-12,13

HRi

SOLE RESISTANCE CHART

Dual Density BLVD

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING COMFORTPRO Men's Slip-On

6713 NT SD 8706 SD

UPPER: Full Grain Black Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: (6713) 224 (8706) 225
CONSTRUCTION: Cement

RATING: (6713) ASTM F2413-18, M/I/C, SD 35 (8706) ASTM F2892-18, SD 35
SIZES: D 7-12,13,14,15 EE 8-12,13 H 8-12,13

HRi

SOLE RESISTANCE CHART

Dual Density BLVD

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING ZERO-G LITE Men's Slip-On

6721 AT EH

UPPER: Full Grain Leather
FOOTBED: Fabric Covered EVA
LAST: 312
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 6-12,13,14,15 H 8-12,13

EXTRALIGHT

SOLE RESISTANCE CHART

X-Lite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN VIETNAM

RED WING ZERO-G LITE Men's Slip-On

6722 AT SD

UPPER: Full Grain Leather
FOOTBED: Fabric Covered EVA
LAST: 312
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 35
SIZES: D 6-12,13,14,15 EE 6-12,13,14,15 H 8-12,13

EXTRALIGHT

SOLE RESISTANCE CHART

X-Lite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

RED WING COMFORTPRO Men's Oxford

6708 NT SD

UPPER: Full Grain Brown Rosseto Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 224
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 35
SIZES: D 7-12,13,14,15 EE 8-12,13 H 8-12,13

HRI

SOLE RESISTANCE CHART

Dual Density BLVD

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING COMFORTPRO Men's Oxford

6709 NT EH

UPPER: Full Grain Black Rosseto Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 224
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13 H 8-12,13

HRI

SOLE RESISTANCE CHART

Dual Density BLVD

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING COMFORTPRO Men's Oxford

6712 NT SD 8712 SD

UPPER: Full Grain Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 224
CONSTRUCTION: Cement

RATING: (6712) ASTM F2413-18, M/I/C, SD 35 (8712) ASTM F2892-18, SD 35
SIZES: D 7-12,13,14,15 EE 8-12,13 H 8-12,13

HRI

SOLE RESISTANCE CHART

Dual Density BLVD

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING KING TOE® Men's Oxford

6633 ST EH 133 EH

UPPER: Full Grain, Water-Resistant Black Yukon Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 801
CONSTRUCTION: Direct Attach

RATING: (6633) ASTM F2413-18, M/I/C, EH (133) ASTM F2892-18, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14

R|W LEATHER KING TOE

SOLE RESISTANCE CHART

TPU-PU Galaxy

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

RED WING READIFLEX Men's Oxford

8701 ST SD

UPPER: Polyurethane Coated Black Endura Leather
FOOTBED: SD Cushion
SHANK: Steel
LAST: 202
CONSTRUCTION: Cement

RATING: ASTM F2413-11, M/I/75/C/75, SD
SIZES: D 7-12,13,14 EE 6-12 EEE 7-12

SOLE RESISTANCE CHART

Grip-Tec®

Slip	Best
Oil/Gas	Best
Chemicals	Good
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

RED WING ZERO-G LITE Men's Oxford

6715 AT EH

UPPER: Full Grain Leather
FOOTBED: Fabric Covered EVA
LAST: 312
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 6-12,13,14,15 H 8-12,13

EXTRALIGHT®

SOLE RESISTANCE CHART

X-Lite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN VIETNAM

RED WING ZERO-G LITE Men's Oxford

6716 AT SD

UPPER: Full Grain Leather
FOOTBED: Fabric Covered EVA
LAST: 312
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 35
SIZES: D 6-12,13,14,15 EE 6-12,13,14,15 H 8-12,13

EXTRALIGHT®

SOLE RESISTANCE CHART

X-Lite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN VIETNAM

RED WING ZERO-G LITE Men's Chukka

6714 AT SD

UPPER: Full Grain Leather
FOOTBED: Fabric Covered EVA
LAST: 312
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 35
SIZES: D 6-12,13,14,15 EE 6-12,13,14,15 H 8-12,13

EXTRALIGHT®

SOLE RESISTANCE CHART

X-Lite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

RED WING ZERO-G LITE Men's Chukka

6719 AT SD

UPPER: Full Grain Leather
FOOTBED: Fabric Covered EVA
LAST: 312
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 35
SIZES: D 6-12,13,14,15 EE 6-12,13,14,15 H 8-12,13

EXTRALIGHT®

SOLE RESISTANCE CHART

X-Lite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN VIETNAM

RED WING ZERO-G LITE Men's Chukka

6720 AT EH

UPPER: Full Grain Leather
FOOTBED: Fabric Covered EVA
LAST: 312
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 6-12,13,14,15 H 8-12,13

EXTRALIGHT®

SOLE RESISTANCE CHART

X-Lite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

IRISH SETTER WORK KASSON Men's Slip-On

83110 AT EH

UPPER: Full Grain Leather
FOOTBED: Removable Memory Foam-EVA
LAST: 522
CONSTRUCTION: Opanka

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

ENERGI

SOLE RESISTANCE CHART

UltraFlex OTF

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

IRISH SETTER WORK KASSON Men's Slip-On

83112 AT EH

UPPER: USA Made Full Grain Leather
FOOTBED: Removable Memory Foam-EVA
LAST: 522
CONSTRUCTION: Opanka

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

TROUT BROOK LEATHER ENERGI

SOLE RESISTANCE CHART

UltraFlex OTF

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

IRISH SETTER WORK KASSON Men's Oxford

83114 AT EH

UPPER: Full Grain Leather
FOOTBED: Removable Memory Foam-EVA
LAST: 522
CONSTRUCTION: Opanka

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

SOLE RESISTANCE CHART

UltraFlex OTF

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

IRISH SETTER WORK KASSON Men's Oxford

83116 AT EH

UPPER: USA Made Full Grain Leather
FOOTBED: Removable Memory Foam-EVA
LAST: 522
CONSTRUCTION: Opanka

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

SOLE RESISTANCE CHART

UltraFlex OTF

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK CASS Men's Romeo Boot

83300 ST EH

UPPER: USA Made Full Grain, Waterproof Briar Turbo Vegas Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: CH-05
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

SOLE RESISTANCE CHART

Rubber-EVA Treker

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX STAINLESS Men's Slip-On

6558 NT EH

UPPER: Polyurethane Coated Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13

SOLE RESISTANCE CHART

SSRT Diamond

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

WORX ZINC Men's Slip-On

5024 NT EH

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® X2

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX ZINC Men's Slip-On

5924 NT EH

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
CSA Grade 1, Protective Toe Only
SIZES: M 7-12,13,14 WW 8-12,13,14

CSA HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® X2

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

NEW

Available Fall 2020

WORX ZINC Men's Slip-On

5045 ST SD

UPPER: Full Grain Leather
FOOTBED: Removable Polyurethane
LAST: 207JV
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 35
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Channel

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX COPPER Men's Oxford

6550 NT EH

UPPER: Polyurethane Coated Black Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14,15 WW 8-12,13,14,15

SOLE RESISTANCE CHART

SSRT Diamond

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

WORX NITRO Men's Oxford

5046 ST EH

UPPER: Full Grain Leather
FOOTBED: Removable Polyurethane
LAST: 207JV
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

SOLE RESISTANCE CHART

GumTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

NEW

Available Fall 2020

WORX NITRO Men's Oxford

5019 ST SD

UPPER: Full Grain Leather
FOOTBED: Removable Polyurethane
LAST: 207JV
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 35
SIZES: M 7-12,13,14 WW 8-12,13,14

SOLE RESISTANCE CHART

GumTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX STAINLESS Men's Oxford

6555 NT EH

UPPER: Polyurethane Coated Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13

SOLE RESISTANCE CHART

SSRT Diamond

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

WORX STAINLESS Men's Oxford

5018 ST SD

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane-SD
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 100
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

Rubber-EVA Motility

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

WORX STAINLESS Men's Oxford

5039 NT EH **6404** EH

UPPER: Polyurethane Coated Split Leather
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: **(5039)** ASTM F2413-18, M/I/C, EH **(6404)** ASTM F2892-18, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Dual Grip I-O

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX ZINC Men's Oxford

5023 NT EH **6402** EH

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: **(5023)** ASTM F2413-11, M/I/75/C/75, EH **(6402)** ASTM F2892-18, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® X2

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX ZINC Men's Oxford

5923 NT EH

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
CSA Grade 1, Protective Toe Only
SIZES: M 7-12,13,14 WW 8-12,13,14

CSA HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® X2

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

NEW

Available Fall 2020

WORX ZINC Men's Oxford

5043 ST EH

UPPER: Full Grain Leather
FOOTBED: Removable Polyurethane
LAST: 207JV
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Channel

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX COPPER Men's Chukka

6513 NT EH

UPPER: Polyurethane Coated Black Leather
FOOTBED: Removable EVA
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 5-12,13,14,15,16 WW 8-12,13

HRO

SOLE RESISTANCE CHART

Bid Rubber Cup

Slip	Best
Oil/Gas	Good
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX NITRO Men's Chukka

5469 ST EH

UPPER: Full Grain Leather
FOOTBED: Removable Polyurethane
LAST: 207JV
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

SOLE RESISTANCE CHART

GumTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX STAINLESS Men's Chukka

5418 ST SD

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane-SD
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 100
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

Rubber-EVA Motility

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX STAINLESS Men's Chukka

5417 NT EH

UPPER: Polyurethane Coated Split Leather
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Dual Grip I-O

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

WORX ZINC Men's Chukka

5406 ST EH

UPPER: Full Grain Brown Leather
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: 6654
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Dual Zone

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX ZINC Men's Chukka

5407 ST EH

UPPER: Full Grain Black Leather
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: 6654
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Dual Zone

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

WORX ZINC Men's Chukka

5427 ST EH

UPPER: Full Grain Leather
FOOTBED: Removable Polyurethane
LAST: 207JV
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Channel

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX ZINC Men's 5-inch Romeo

5026 NT EH

UPPER: Full Grain Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-11, M/I/75/C/75, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® X2

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

— 52 STYLES —

ATHLETIC / HIKER

Multisport looks and agility meet superior safety features.

Return to Table of Contents

RED WING ATHLETICS Men's Athletic

6330 AT EH

UPPER: Abrasion Resistant Mono-Mesh
FOOTBED: Nylon Covered Open Cell Foam
SHANK: Nylon
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Rubber-EVA Stealth

Slip	Best
Oil/Gas	Better
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN VIETNAM

RED WING ATHLETICS Men's Athletic

6337 AT SD 8337 SD

UPPER: Black Leather Full Grain
FOOTBED: Removable Polyurethane-SD
SHANK: TPU
LAST: 228
CONSTRUCTION: Cement

RATING: (6337) ASTM F2413-18, M/I/C, SD 35 (8337) ASTM F2892-18, SD 35
SIZES: B 10-12,13,14 D 6-12,13,14,15,16 EE 8-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

Rubber-EVA Viper

Slip	Best
Oil/Gas	Better
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	No

MADE IN VIETNAM

RED WING ATHLETICS Men's Athletic

6338 AT EH

UPPER: Abrasion Resistant Mono-Mesh
FOOTBED: Nylon Covered Open Cell Foam
SHANK: Nylon
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

HRI

SOLE RESISTANCE CHART

Rubber-EVA Stealth

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING ATHLETICS Men's Athletic

6342 AT EH

UPPER: Abrasion Resistant Mono-Mesh
FOOTBED: Nylon Covered Open Cell Foam
SHANK: Nylon
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Rubber-EVA Stealth

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN VIETNAM

RED WING COOLTECH™ ATHLETICS Men's Athletic

6343 NT EH

UPPER: Abrasion Resistant Mesh
FOOTBED: Fabric Covered EVA
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13,14

BOA® CROSSBREEZE HRO Vibram

SOLE RESISTANCE CHART

Vibram® SpeedSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING COOLTECH™ ATHLETICS Men's Athletic

6344 NT EH

UPPER: Abrasion Resistant Mesh
FOOTBED: Fabric Covered EVA
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13,14

CROSSBREEZE HRO Vibram

SOLE RESISTANCE CHART

Vibram® SpeedSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING COOLTECH™ ATHLETICS Men's Athletic

6346 NT EH

UPPER: Abrasion Resistant Mesh
FOOTBED: Fabric Covered EVA
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13,14

CROSSBREEZE HRO Vibram

SOLE RESISTANCE CHART

Vibram® SpeedSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING COOLTECH™ ATHLETICS Men's Athletic

6347 NT EH

UPPER: Abrasion Resistant Mesh Full Grain
FOOTBED: Fabric Covered EVA
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13,14

CROSSBREEZE HRO Vibram

SOLE RESISTANCE CHART

Vibram® SpeedSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

RED WING COOLTECH™ ATHLETICS Men's Athletic

6348 NT EH

UPPER: Abrasion Resistant Mesh Full Grain
FOOTBED: Fabric Covered EVA
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13,14

CROSSBREEZE HRO vibram

SOLE RESISTANCE CHART

Vibram® SpeedSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

RED WING COOLTECH™ ATHLETICS Men's Athletic

6352 NT EH

UPPER: Abrasion Resistant Mesh
FOOTBED: Fabric Covered EVA
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13,14

BOA CROSSBREEZE HRO vibram

SOLE RESISTANCE CHART

Vibram® SpeedSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

RED WING COOLTECH™ ATHLETICS Men's Athletic

6354 NT SD

UPPER: Abrasion Resistant Mesh Full Grain
FOOTBED: Fabric Covered EVA
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 35
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13,14

CROSSBREEZE HRO vibram

SOLE RESISTANCE CHART

Vibram® SpeedSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING FUSE FX Men's Athletic

6800 NT SD

UPPER: Abrasion Resistant Mono-Mesh
FOOTBED: Nylon Covered Open Cell Foam
SHANK: Non-metallic
LAST: 305
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-11, M/I/75/C/75, SD
SIZES: D 6-12,13,14,15,16 EE 7-12,13,14 H 8-12,13,14

FORCE GUARD HRO

SOLE RESISTANCE CHART

Rubber OmniTrax

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

PR Puncture Resistant / Resistente a las Perforaciones
MT Metatarsal Guard / Protector del Metatarso
EH Electrical Hazard / Peligro Eléctrico
SD Static-Dissipative / Disipador de Estática

NEW

Available Spring 2020

RED WING COOLTECH™ ATHLETICS Men's 4-inch Hiker Boot

6349 NT EH

UPPER: Full Grain Abrasion Resistant Mesh
FOOTBED: Fabric Covered EVA
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13,14

SOLE RESISTANCE CHART

Vibram® SpeedSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING TRUHIKER Men's 3-inch Hiker Boot

6672 AT EH **8672** EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: (6672) 221 (8672) 223
CONSTRUCTION: Cement

RATING: (6672) ASTM F2413-18, M/I/C, EH (8672) ASTM F2892-18, EH
SIZES: (6672) B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14
SIZES: (8672) B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

SOLE RESISTANCE CHART

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING FLEXFORCE® Men's 5-inch Hiker Boot

6671 AT EH

UPPER: Full Grain, Waterproof Black Frontier Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 9-12,13,14 D 7-12,13,14 EE 8-12,13,14 H 8-12,13,14

SOLE RESISTANCE CHART

Vibram® Rubber-PU XClaim TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING FUSE FX Men's 5-Inch Hiker Boot

6601 NT EH

UPPER: Abrasion Resistant Mono-Mesh
FOOTBED: Nylon Covered Open Cell Foam
SHANK: Non-metallic
LAST: 305
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-11, M/I/75/C/75, EH
SIZES: D 6-12,13,14,15,16 EE 7-12,13,14 H 8-12,13,14

SOLE RESISTANCE CHART

Rubber OmniTrax

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

RED WING TRADESMAN Men's 5-Inch Hiker Boot

6613 NT EH

UPPER: Nubuck, Waterproof Basalt Leather
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: 601
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

RW WATERPROOF R|W LEATHER HRO

SOLE RESISTANCE CHART

VersaTrax

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

RED WING TRADESMAN Men's 5-Inch Hiker Boot

6614 NT EH

UPPER: Full Grain, Waterproof Black Yukon Leather and Abrasion Resistant Mesh
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: 601
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

RW WATERPROOF R|W LEATHER HRO

SOLE RESISTANCE CHART

VersaTrax

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

RED WING TRBO Men's 5-inch Hiker Boot

6608 NT EH

UPPER: Waterproof Split Black Leather
FOOTBED: Removable Polyurethane
LAST: 231
CONSTRUCTION: Cement

RATING: ASTM F2413-11, M/I/75/C/75, EH
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

RW WATERPROOF R|W LEATHER FORCE GUARD HRO

SOLE RESISTANCE CHART

Traverse

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING TRBO Men's 5-inch Hiker Boot

6605 NT EH

UPPER: Waterproof Split Brown Leather
FOOTBED: Removable Polyurethane
LAST: 231
CONSTRUCTION: Cement

RATING: ASTM F2413-11, M/I/75/C/75, EH
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

RW WATERPROOF R|W LEATHER FORCE GUARD HRO

SOLE RESISTANCE CHART

Traverse

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING TRBO Men's 5-inch Hiker Boot

6603 NT EH

UPPER: Waterproof Split Gray Basalt Leather and Abrasion Resistant Mesh
FOOTBED: Removable Polyurethane
LAST: 231
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

RW WATERPROOF · R|W LEATHER · FORCE GUARD · HRO

SOLE RESISTANCE CHART

Traverse

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING TRUHIKER Men's 5-inch Hiker Boot

3541 ST PR EH

UPPER: Full Grain Gaucho Crazy Horse Leather
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: 220
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 8-12,13,14 EE 8-12,13

SWEN-FLEX · HRO

SOLE RESISTANCE CHART

Rubber-EVA Xplorer

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING TRUHIKER Men's 5-inch Hiker Boot

6692 AT EH **8692** EH

UPPER: Full Grain Gaucho Crazy Horse Leather
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: (6692) 228 (8692) 228
CONSTRUCTION: Cement

RATING: (6692) ASTM F2413-18, M/I/C, EH (8692) ASTM F2892-18, EH
SIZES: (6692) D 8-12,13 EE 7-12,13
SIZES: (8692) D 8-12,13 EE 8-12,13

SOLE RESISTANCE CHART

Rubber Ranger

Slip	Best
Oil/Gas	Good
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK ROCKFORD Men's Oxford

83108 NT EH

UPPER: Polyurethane Coated, Waterproof Leather and Abrasion Resistant Mesh
FOOTBED: Removable Memory Foam-EVA
LAST: IS-157
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY · CUSHIN · HRO · ENERG

SOLE RESISTANCE CHART

G3

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero · AT Aluminum Toe / Puntera de Aluminio · NT Non-Metallic Toe / Puntera No Metálica · Waterproof / Impermeable · Insulated / Con Aislamiento

Return to Table of Contents

IRISH SETTER WORK AFTON Men's Oxford

83106 ST EH

UPPER: Suede Leather and Abrasion Resistant Mesh
FOOTBED: Removable EVA
SHANK: Non-metallic
LAST: 220
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

SOLE RESISTANCE CHART

Quest

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK CROSBY Men's 5-Inch Hiker Boot

83412 NT EH

UPPER: Full Grain, Waterproof Leather and Abrasion Resistant Mesh
FOOTBED: Removable Memory Foam-EVA
SHANK: Nylon
LAST: 157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY CUSHIN ARMA TEC HRO ENERGY STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK CROSBY Men's 5-Inch Hiker Boot

83428 NT EH

UPPER: Full Grain, Waterproof Leather and Abrasion Resistant Mesh
FOOTBED: Removable Memory Foam-EVA
SHANK: Nylon
LAST: 157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY CUSHIN ARMA TEC HRO ENERGY STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK ROCKFORD Men's 5-Inch Hiker Boot

83422 NT EH

UPPER: Polyurethane Coated, Waterproof Leather
FOOTBED: Removable Memory Foam-EVA
LAST: IS-157
CONSTRUCTION: Cement

RATING: ASTM F2413-11, M/I/75/C/75, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY CUSHIN ARMA TEC HRO ENERGY

SOLE RESISTANCE CHART

G3

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **ROCKFORD Men's** 5-Inch Hiker Boot

83420 NT EH

UPPER: Polyurethane Coated, Waterproof Leather and Abrasion Resistant Mesh
FOOTBED: Removable Memory Foam-EVA
LAST: IS-157
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY CUSHIN ARMA TEC HRO ENERG

SOLE RESISTANCE CHART

G3

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **ROCKFORD Men's** 5-Inch Hiker Boot

83418 NT EH

UPPER: Polyurethane Coated, Waterproof and Abrasion Resistant Mesh
FOOTBED: Removable Memory Foam-EVA
LAST: IS-157
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY CUSHIN ARMA TEC HRO ENERG

SOLE RESISTANCE CHART

G3

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **TWO HARBORS Men's** 5-inch Hiker Boot

83402 ST EH **83403** EH

UPPER: Full Grain, Waterproof Mocha Crazy Horse Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: **(83402)** 220 **(83403)** 223
CONSTRUCTION: Cement to Welt

RATING: **(83402)** ASTM F2413-18, M/I/C, EH **(83403)** ASTM F2892-18, EH
SIZES: **(83402)** D 8-12,13,14 EE 8-12,13
SIZES: **(83403)** D 8-12,13,14 EE 8-12,13

ULTRA DRY CUSHIN ARMA TEC HRO vibram STABLE FLEX

SOLE RESISTANCE CHART

Vibram® Rubber-PU XClaim TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **AFTON Men's** 5-inch Hiker Boot

83410 ST EH

UPPER: Suede Leather and Abrasion Resistant Mesh
FOOTBED: Removable EVA
SHANK: Non-metallic
LAST: 220
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

CUSHIN

SOLE RESISTANCE CHART

Quest

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

WORX CARBIDE Men's Athletic

5007 AT EH

UPPER: Synthetic Leather and Nylon Mesh
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 228
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14,15 WW 8-12,13,14

SOLE RESISTANCE CHART

Rubber-EVA Viper

Slip	Best
Oil/Gas	Good
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	No

MADE IN VIETNAM

WORX CARBIDE Men's Athletic

5010 AT EH

UPPER: Synthetic Leather and Nylon Mesh
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 228
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14,15 WW 8-12,13,14

SOLE RESISTANCE CHART

Rubber-EVA Viper

Slip	Best
Oil/Gas	Good
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	No

MADE IN VIETNAM

WORX CARBIDE Men's Athletic

5015 ST SD

UPPER: Black Leather Synthetic
FOOTBED: Removable Polyurethane-SD
SHANK: Non-metallic
LAST: 892
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 100
SIZES: M 7-12,13,14 WW 8-12,13

SOLE RESISTANCE CHART

SSRT Sure-Tech

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

WORX CARBIDE Men's Athletic

5032 AT EH

UPPER: Full Grain Leather
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

ProTred I-0

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX CARBIDE Men's Athletic

5033 AT SD

UPPER: Polyurethane Coated Split Leather
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 35
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

ProTred I-0

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX CARBIDE Men's Athletic

5034 AT SD

UPPER: Polyurethane Coated Split Leather
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 35
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

ProTred I-0

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

WORX CARBIDE Men's Oxford

5028 ST EH

UPPER: Suede Leather
FOOTBED: Removable PU with Added Foam
SHANK: Nylon
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

SOLE RESISTANCE CHART

ProTred I-0

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

WORX CARBIDE Men's Oxford

5027 ST EH

UPPER: Suede Leather
FOOTBED: Removable PU with Added Foam
SHANK: Nylon
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

SOLE RESISTANCE CHART

ProTred I-0

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

WORX LITHIUM Men's Athletic

5037 AT EH

UPPER: Abrasion Resistant Nylon
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

ViperLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX LITHIUM Men's Athletic

5038 AT SD

UPPER: Abrasion Resistant Nylon
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, SD 35
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

ViperLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX LITHIUM Men's Athletic

5040 AT EH

UPPER: Abrasion Resistant Nylon
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

ViperLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX LITHIUM Men's Athletic

5041 AT EH

UPPER: Abrasion Resistant Nylon
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

ViperLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX BRONZE Men's 5-inch Hiker Boot

5402 NT EH

UPPER: Black Leather Full Grain
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

Ascend

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX COBALT Men's 5-inch Hiker Boot

5400 ST EH

UPPER: Full Grain Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-11, M/I/75/C/75, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

Rubber-PU Talon

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX COBALT Men's 5-inch Hiker Boot

5501 ST EH

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 6-12,13,14,15,16 WW 8-12,13,14,15,16

HRO

SOLE RESISTANCE CHART

Rubber-PU Falcon

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	No

MADE IN CAMBODIA

WORX STAINLESS Men's 5-inch Hiker Boot

6556 NT EH

UPPER: Polyurethane Coated Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13

SOLE RESISTANCE CHART

SSRT Diamond

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe Puntera de Acero
AT Aluminum Toe Puntera de Aluminio
NT Non-Metallic Toe Puntera No Metálica
Waterproof Impermeable
Insulated Con Aislamiento

Return to Table of Contents

— 101 STYLES —

6-INCH BOOTS

All-day comfort and performance on and off the job.

Return to Table of Contents

RED WING KING TOE® ADC Men's 6-inch Boot

3513 NT PR EH

UPPER: Full Grain, Waterproof Brown Rosseto Leather
FOOTBED: Quadrex Four-Layer System
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13,14

3M Thinsulate Ultra Insulation 400 gram

SOLE RESISTANCE CHART

Rubber VariLug

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

6-INCH

RED WING DYNAFORCE® Men's 6-inch Boot

4404 ST EH **1204** EH

UPPER: Full Grain, Waterproof Weathered Oak Voyageur Leather
FOOTBED: ComfortForce®
SHANK: Non-metallic
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: **(4404)** ASTM F2413-18, M/I/C, EH **(1204)** ASTM F2892-18, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13,14

SOLE RESISTANCE CHART

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING KING TOE® Men's 6-inch Boot

2260 NT EH **432** EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: **(2260)** 800 **(432)** 800
CONSTRUCTION: Direct Attach

RATING: **(2260)** ASTM F2413-18, M/I/C, EH **(432)** ASTM F2892-18, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

3M Thinsulate Ultra Insulation 400 gram

SOLE RESISTANCE CHART

TPU-PU Galaxy

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

RED WING BRNR XP Men's 6-inch Boot

3500 NT PR EH

UPPER: Full Grain, Waterproof Blackened Taos Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Dual Density GripTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

NEW

Available Spring 2020

RED WING BURNSIDE Men's 6-inch Boot

3517 NT PR EH

UPPER: Nubuck, Waterproof and Waxed Brown Vaca Loca Leather and Abrasion Resistant Synthetic
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

SOLE RESISTANCE CHART

Vibram® UltraSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

RED WING KING TOE® Men's 6-inch Boot

3506 NT PR EH

UPPER: Full Grain, Waterproof Mahogany Cider Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

Vibram® Galactic Fire and Ice

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

RED WING SUPERSOLE® 2.0 Men's 6-inch Boot

3504 ST PR EH

UPPER: Full Grain, Waterproof Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: B 10-12,13,14 D 7-12,13,14,15 E 8-12,13 EEE 8-12,13

SOLE RESISTANCE CHART

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

RED WING TRADESMAN Men's 6-inch Boot

3519 NT PR EH

UPPER: Nubuck, Waterproof Dark Brown Vaca Loca Leather
FOOTBED: Removable Polyurethane
LAST: 601
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

SOLE RESISTANCE CHART

VersaTrax

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

RED WING TRADESMAN Men's 6-inch Boot

3532 NT PR EH

UPPER: Full Grain, Waterproof Black Yukon Leather and Abrasion Resistant Mesh
FOOTBED: Removable Polyurethane
LAST: 601
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

SOLE RESISTANCE CHART

VersaTrax

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

RED WING TRUHIKER Men's 6-inch Hiker Boot

3561 ST PR EH

UPPER: Suede, Waterproof Gray Leather
FOOTBED: Removable EVA
SHANK: Nylon
LAST: 220
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 8-12,13,14 EE 8-12,13

SOLE RESISTANCE CHART

Rubber-EVA Xplorer

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING BRNR XP Men's 6-inch Boot

2400 NT EH

UPPER: Full Grain, Waterproof Black Taos Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Dual Density GripTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING BRNR XP Men's 6-inch Boot

2403 NT EH

UPPER: Full Grain, Waterproof Oro Taos Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Dual Density GripTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

RED WING BURNSIDE Men's 6-inch Boot

2410 NT EH

UPPER: Full Grain, Waterproof Dark Brown Vaca Loca Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

SOLE RESISTANCE CHART

Vibram® UltraSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

RED WING BURNSIDE Men's 6-inch Boot

2411 NT EH

UPPER: Full Grain, Waterproof Black Yukon Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

SOLE RESISTANCE CHART

Vibram® UltraSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

RED WING CRV™ Men's 6-inch Boot

2436 AT EH

UPPER: Full Grain, Waterproof Brown Taos Leather
FOOTBED: Removable Polyurethane
SHANK: Fiberglass
LAST: 600
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 9-12,13,14 D 7-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

SOLE RESISTANCE CHART

Tempo

Slip	Good
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	No

MADE IN THE USA W/IMPORTED MATERIALS

RED WING CRV™ Men's 6-inch Boot

4423 AT EH

UPPER: Full Grain, Waterproof Black Yukon Leather
FOOTBED: Removable Polyurethane
SHANK: Fiberglass
LAST: 600
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 9-12,13,14 D 7-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

SOLE RESISTANCE CHART

Tempo

Slip	Good
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	No

MADE IN THE USA W/IMPORTED MATERIALS

RED WING DYNAFORCE® Men's 6-inch Boot

4215 ST EH **415** EH

UPPER: Full Grain, Waterproof Mahogany Voyageur Leather
FOOTBED: ComfortForce®
SHANK: Non-metallic
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: **(4215)** ASTM F2413-18, M/I/C, EH **(415)** ASTM F2892-18, EH
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13,14

SOLE RESISTANCE CHART

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING DYNAFORCE® Men's 6-inch Boot

4217 ST EH

UPPER: Full Grain, Waterproof Black Voyageur Leather
FOOTBED: ComfortForce®
SHANK: Non-metallic
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13,14

SOLE RESISTANCE CHART

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

NEW

Available Spring 2020

RED WING EXOS LITE Men's 6-inch Boot

2451 AT EH

UPPER: Full Grain, Waterproof Onyx Yukon Leather
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: JV305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 6-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Vibram® X-treme Lite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CAMBODIA

NEW

Available Spring 2020

RED WING EXOS LITE Men's 6-inch Boot

2453 AT EH

UPPER: Nubuck, Waterproof Mocha Vaca Loca Leather
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: JV305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 6-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Vibram® X-treme Lite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

NEW

Available Spring 2020

RED WING EXOS LITE Men's 6-inch Boot

2454 AT EH

UPPER: Nubuck, Waterproof Caramel Vaca Loca Leather
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: JV305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 6-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Vibram® X-treme Lite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CAMBODIA

RED WING FLEXBOND Men's 6-inch Boot

4216 NT EH

UPPER: Full Grain, Waterproof Spice Tramper Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: CH-691
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 6-12,13,14

SOLE RESISTANCE CHART

Rubber-PU Auger

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

RED WING FLEXFORCE® Men's 6-inch Boot

2401 AT EH **401** EH

UPPER: Full Grain, Waterproof Brown Taos Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: (2401) 157 (401) 156
CONSTRUCTION: Cement to Welt

RATING: (2401) ASTM F2413-18, M/I/C, EH (401) ASTM F2892-18, EH
SIZES: (2401) B 9-12,13,14 D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14
SIZES: (401) D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14

SOLE RESISTANCE CHART

Vibram® Rubber-PU XClaim TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING KING TOE® Men's 6-inch Boot

2240 NT EH **435** EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: (2240) ASTM F2413-18, M/I/C, EH (435) ASTM F2892-18, EH
SIZES: (2240) B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13
SIZES: (435) D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

TPU-PU Galaxy

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

RED WING KING TOE® ADC Men's 6-inch Boot

2407 NT EH

UPPER: Full Grain, Waterproof Black Yukon Leather
FOOTBED: Quadrex Four-Layer System
SHANK: Nylon
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13,14

SOLE RESISTANCE CHART

Rubber VariLug

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

RED WING KING TOE® ADC Men's 6-inch Boot

4402 NT EH

UPPER: Full Grain, Waterproof Gaucho Leather
FOOTBED: Quadrex Four-Layer System
SHANK: Nylon
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13,14

SOLE RESISTANCE CHART

Rubber VariLug

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

RED WING TRACTION TRED Men's 6-inch Boot

2415 NT EH **405** EH

UPPER: Full Grain, Waterproof Red Oak Mesa Leather
FOOTBED: Removable Polyurethane
LAST: 325
CONSTRUCTION: Goodyear Leather Welt

RATING: **(2415)** ASTM F2413-18, M/I/C, EH **(405)** ASTM F2892-18, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14

SOLE RESISTANCE CHART

Rubber-Blown Rubber Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

RED WING TRACTION TRED LITE Men's 6-inch Boot

2443 NT EH

FOOTBED: Removable Polyurethane
LAST: 325
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12

SOLE RESISTANCE CHART

Traction Tred UltraLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

NEW

Available Fall 2020

RED WING TRACTION TRED LITE Men's 6-inch Boot

2441 NT EH

FOOTBED: Removable Polyurethane
LAST: 325
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12

RW WATERPROOF · R|W LEATHER · Vibram LITEBASE

SOLE RESISTANCE CHART

Traction Tred UltraLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

RED WING TRACTION TRED LITE Men's 6-inch Boot

2440 NT EH

FOOTBED: Removable Polyurethane
LAST: 325
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12

RW WATERPROOF · R|W LEATHER · Vibram LITEBASE

SOLE RESISTANCE CHART

Traction Tred UltraLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING TRADESMAN Men's 6-inch Boot

6617 NT EH

UPPER: Full Grain, Waterproof Black Yukon Leather
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: 601
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

RW WATERPROOF · R|W LEATHER · HRO

SOLE RESISTANCE CHART

VersaTrax

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

RED WING TRUHIKER Men's 6-inch Hiker Boot

6670 ST EH **8670** EH

UPPER: Suede, Waterproof Gray Leather
FOOTBED: Removable EVA
SHANK: Nylon
LAST: (6670) 220 (8670) 223
CONSTRUCTION: Cement

RATING: (6670) ASTM F2413-18, M/I/C, EH (8670) ASTM F2892-18, EH
SIZES: D 8-12,13,14 EE 8-12,13

RW WATERPROOF · CUSHIN · HRO

SOLE RESISTANCE CHART

Rubber-EVA Xplorer

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING TRUHIKER Men's 6-inch Hiker Boot

6674 AT EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 221
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 8-12,13,14

RW WATERPROOF · R|W LEATHER · HRO · Vibram

SOLE RESISTANCE CHART

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING TRUHIKER Men's 6-inch Hiker Boot

6690 AT EH

UPPER: Full Grain, Waterproof Black Star Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Steel
LAST: 221
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATERPROOF · R|W LEATHER · HRO · Vibram

SOLE RESISTANCE CHART

Vibram® Summit TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING TRUWELT Men's 6-inch Boot

971 ST EH

UPPER: Full Grain, Waterproof Black Leather
FOOTBED: ComfortForce®
SHANK: Non-metallic
LAST: 694
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14 EE 8-12,13

RW WATERPROOF · HRO · Vibram · CF

SOLE RESISTANCE CHART

Vibram® Lug TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

RED WING SUPERSOLE® 2.0 Men's 6-inch Boot

3507 ST PR EH

UPPER: Full Grain, Waterproof Black Star Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

R|W LEATHER · CSA · SWEN-FLEX® · CF · 2.0 SUPER+SOLE

SOLE RESISTANCE CHART

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

ST Steel Toe / Puntera de Acero · AT Aluminum Toe / Puntera de Aluminio · NT Non-Metallic Toe / Puntera No Metálica · Waterproof / Impermeable · Insulated / Con Aislamiento

Return to Table of Contents

RED WING CRV™ Men's 6-inch Boot

4409 AT EH **609** EH

UPPER: Full Grain, Waterproof Calico Leather
FOOTBED: Removable Polyurethane
SHANK: Fiberglass
LAST: 600
CONSTRUCTION: Direct Attach

RATING: (4409) ASTM F2413-18, M/I/C, EH **(609)** ASTM F2892-11, EH
SIZES: (4409) B 9-12,13,14 D 7-12,13,14,15 EE 6-12,13,14 H 8-12,13
SIZES: (609) B 9-12,14 D 7-12,13,14,15 EE 6-12,13,14,15 H 8-12,13,14

SOLE RESISTANCE CHART

Tempo

Slip	Good
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	No

MADE IN THE USA W/IMPORTED MATERIALS

RED WING CRV™ Men's 6-inch Boot

4412 AT EH

UPPER: Nubuck, Waterproof Black Hot Pocket Leather
FOOTBED: Removable Polyurethane
SHANK: Fiberglass
LAST: 600
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 9-12,13,14 D 7-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Tempo

Slip	Good
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	No

MADE IN THE USA W/IMPORTED MATERIALS

RED WING CRV™ Men's 6-inch Boot

4426 AT EH

UPPER: Full Grain Gray Aged Buck Leather
FOOTBED: Removable Polyurethane
SHANK: Fiberglass
LAST: 600
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 9-12,13,14 D 7-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

SOLE RESISTANCE CHART

Tempo

Slip	Good
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	No

MADE IN THE USA W/IMPORTED MATERIALS

RED WING DYNAFORCE® Men's 6-inch Boot

2212 ST EH **912** EH

UPPER: Full Grain Golden Bighorn Leather
FOOTBED: ComfortForce®
SHANK: Non-metallic
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: (2212) ASTM F2413-18, M/I/C, EH **(912)** ASTM F2892-18, EH
SIZES: B 9-12,13,14,15 D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING KING TOE® Men's 6-inch Boot

2234 NT EH

UPPER: Full Grain, Water-Resistant Black Yukon Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14

R|W LEATHER KING TOE

SOLE RESISTANCE CHART

TPU-PU Galaxy

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

RED WING KING TOE® Men's 6-inch Boot

2235 NT EH

UPPER: Full Grain Poplar Frontier Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 9-12,13,14,15 D 6-12,13,14,15,16 EE 7-12,13,14 H 8-12,13,14

KING TOE

SOLE RESISTANCE CHART

TPU-PU Galaxy

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

RED WING KING TOE® Men's 6-inch Boot

2241 NT SD

UPPER: Full Grain Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, SD 35
SIZES: D 6-12,13,14 EE 8-12,13,14

R|W LEATHER KING TOE

SOLE RESISTANCE CHART

TPU-PU Galaxy

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

RED WING SUPERSOLE® Men's 6-inch Boot

2245 ST EH

UPPER: Full Grain, Water-Resistant Amber Portage Leather
SHANK: Steel
LAST: 522
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 9-12,13,14 D 7-12,13,14,15,16 E 8-12,13 EE 6-12,13 EEE 6-12,13,14,15,16

R|W LEATHER SUPER+SOLE

SOLE RESISTANCE CHART

Diamond Lug SuperSole®

Slip	Better
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

RED WING SUPERSOLE® 2.0 Men's 6-inch Boot

2406 ST EH **606** EH

UPPER: Full Grain, Water-Resistant Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: (2406) 694 (606) 695
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: (2406) ASTM F2413-18, M/I/C, EH (606) ASTM F2892-18, EH
SIZES: A 10-12,13,14 B 8-12,13,14,15 C 8-12,13 D 6-12,13,14,15,16 E 7-12,13 EE 6-12,13,14,15 H 7-12,13,14,15

SOLE RESISTANCE CHART

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

RED WING TRUHIKER Men's 6-inch Hiker Boot

2205 AT EH

UPPER: Full Grain Mocha Crazy Horse Leather
FOOTBED: Removable EVA
SHANK: Nylon
LAST: 221
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

SOLE RESISTANCE CHART

Rubber-EVA Xplorer

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

IRISH SETTER WORK CROSBY Men's 6-inch Boot

83656 NT EH

UPPER: Full Grain, Waterproof
FOOTBED: Removable Memory Foam-EVA
SHANK: Nylon
LAST: 157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK HOPKINS Men's 6-inch Boot

83616 AT EH **83615** EH

UPPER: Nubuck, Waterproof Gold Nubuck Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 694
CONSTRUCTION: Direct Attach

RATING: (83616) ASTM F2413-18, M/I/C, EH (83615) ASTM F2892-18, EH
SIZES: D 7-12,13,14 EE 8-12,13

SOLE RESISTANCE CHART

Stars and Bars

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK **CROSBY Men's** 6-inch Boot

83602 NT PR EH

UPPER: Full Grain, Waterproof Gray Leather
FOOTBED: Removable Memory Foam-EVA
SHANK: Nylon
LAST: 157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY CUSHIN ARMA TEC SWEN-FLEX HRO ENERG STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **CROSBY Men's** 6-inch Boot

83628 NT EH

UPPER: Full Grain, Waterproof Gray Leather
FOOTBED: Removable Memory Foam-EVA
SHANK: Nylon
LAST: 157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY CUSHIN ARMA TEC HRO RPM TECHNOLOGY ENERG STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

IRISH SETTER WORK **CROSBY Men's** 6-inch Boot

83654 NT EH

UPPER: Full Grain, Waterproof
FOOTBED: Removable Memory Foam-EVA
SHANK: Nylon
LAST: 157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

HRO ENERG STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **ELY Men's** 6-inch Hiker Boot

83400 AT EH

UPPER: Polyurethane Coated, Waterproof Dark Brown Leather
FOOTBED: Removable EVA
SHANK: Non-metallic
LAST: 221
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13

ULTRA DRY ARMA TEC HRO

SOLE RESISTANCE CHART

Rubber-EVA Xplorer

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe — Puntera de Acero
AT Aluminum Toe — Puntera de Aluminio
NT Non-Metallic Toe — Puntera No Metálica
Waterproof — Impermeable
Insulated — Con Aislamiento

Return to Table of Contents

IRISH SETTER WORK **ELY Men's** 6-inch Boot

83618 ST EH **83617** EH

UPPER: Full Grain, Waterproof Mocha Crazy Horse Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: **(83618)** ASTM F2413-18, M/I/C, EH **(83617)** ASTM F2892-18, EH
SIZES: **(83618)** D 7-12,13,14 EE 7-12,13,14

ULTRA DRY

SOLE RESISTANCE CHART

PU V-Grip

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

IRISH SETTER WORK **HOPKINS Men's** 6-inch Boot

83614 AT EH **83613** EH

UPPER: Full Grain, Waterproof Gaucho Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 694
CONSTRUCTION: Direct Attach

RATING: **(83614)** ASTM F2413-18, M/I/C, EH **(83613)** ASTM F2892-18, EH
SIZES: D 7-12,13,14 EE 8-12,13

ULTRA DRY HRO

SOLE RESISTANCE CHART

Stars and Bars

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK **KASOTA Men's** 6-inch Boot

83636 NT EH

UPPER: Full Grain, Waterproof Abrasion Resistant Synthetic
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY CUSHIN ARMA TEC HRO ENERG

SOLE RESISTANCE CHART

TriTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK **KASOTA Men's** 6-inch Boot

83640 NT EH

UPPER: Full Grain, Waterproof Abrasion Resistant Synthetic
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY CUSHIN ARMA TEC HRO ENERG

SOLE RESISTANCE CHART

TriTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK **KASOTA Men's** 6-inch Boot

83642 NT EH

UPPER: Full Grain, Waterproof Abrasion Resistant Synthetic
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY CUSHIN ARMA TEC HRO ENERG

SOLE RESISTANCE CHART

TriTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK **KASOTA Men's** 6-inch Boot

83646 NT EH

UPPER: Full Grain, Waterproof Abrasion Resistant Synthetic
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY CUSHIN ARMA TEC HRO ENERG

SOLE RESISTANCE CHART

TriTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK **RAMSEY 2.0 Men's** 6-inch Boot

83648 AT EH **83621** EH

UPPER: USA Made Full Grain, Waterproof Hazelnut Voyageur Leather
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 702-3E-2
CONSTRUCTION: Direct Attach to Welt

RATING: **(83648)** ASTM F2413-18, M/I/C, EH **(83621)** ASTM F2892-18, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

ULTRA DRY TROUT BROOK LEATHER ARMA TEC ENERG

SOLE RESISTANCE CHART

Rubber-PU Comfort Trek

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Better
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK **WINGSHOOTER ST Men's** 6-inch Boot

83632 NT EH

UPPER: Full Grain, Waterproof
FOOTBED: Removable Polyurethane
LAST: 157
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

ULTRA DRY HRO

SOLE RESISTANCE CHART

Rubber-EVA Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

NEW

Available Spring 2020

IRISH SETTER WORK WINGSHOOTER ST Men's 6-inch Boot

83620 NT EH

UPPER: Full Grain, Waterproof
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 157
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

HRO

SOLE RESISTANCE CHART

Rubber-EVA Traction Tred DH

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

IRISH SETTER WORK WINGSHOOTER ST Men's 6-inch Boot

83622 NT EH

UPPER: Full Grain, Waterproof
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 157
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

HRO

SOLE RESISTANCE CHART

Rubber-EVA Traction Tred DH

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

IRISH SETTER WORK WINGSHOOTER ST Men's 6-inch Boot

83630 NT EH

UPPER: Full Grain, Waterproof
FOOTBED: Removable Polyurethane
LAST: 157
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

HRO

SOLE RESISTANCE CHART

Rubber-EVA Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK ASHBY Men's 6-inch Boot

83606 AT EH **83605** EH

UPPER: USA Made Full Grain, Waterproof Briar Turbo Vegas Leather
FOOTBED: Removable Polyurethane
LAST: (83606) IS-108H (83605) 325
CONSTRUCTION: Goodyear Welt

RATING: (83606) ASTM F2413-18, M/I/C, EH (83605) ASTM F2892-18, EH
SIZES: D 7-12,13,14 EE 7-12,13

TROUT BROOK LEATHER HRO

SOLE RESISTANCE CHART

Rubber-EVA Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

IRISH SETTER WORK **ASHBY Men's** 6-inch Boot

83652 AT EH

UPPER: Full Grain, Oiled Black Turbo Vegas Leather
FOOTBED: Removable Polyurethane
LAST: 325
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14 EE 7-12,13

HRO

SOLE RESISTANCE CHART

Rubber-EVA Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **ELY Men's** 6-inch Boot

83608 ST EH **83607** EH

UPPER: Full Grain Mocha Crazy Horse Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: **(83608)** ASTM F2413-18, M/I/C, EH **(83607)** ASTM F2892-18, EH
SIZES: D 7-12,13,14 EE 7-12,13,14

SOLE RESISTANCE CHART

PU V-Grip

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

IRISH SETTER WORK **ELY Men's** 6-inch Boot

83612 ST EH

UPPER: Full Grain and Black Floater Babylonia Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14 EE 7-12,13,14

SOLE RESISTANCE CHART

PU V-Grip

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CHINA

NEW

Available Spring 2020

IRISH SETTER WORK **FARMINGTON KT Men's** 6-inch Boot

83638 NT EH **83623** EH

UPPER: USA Made Nubuck, Waxed Brown Barnboard Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 800
CONSTRUCTION: Direct Attach to Welt

RATING: **(83638)** ASTM F2413-18, M/I/C, EH **(83623)** ASTM F2892-18, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

TROUT BROOK LEATHER KING TOE

SOLE RESISTANCE CHART

ENDURANCE Cross Wire KT

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

IRISH SETTER WORK KASOTA Men's 6-inch Boot

83634 NT EH

UPPER: Full Grain Abrasion Resistant Synthetic
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-11, M/I/75/C/75, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

CUSHIN ARMA TEC HRO ENERGY

SOLE RESISTANCE CHART

TriTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX ADAMITE Men's 6-inch Boot

5623 NT EH

UPPER: Full Grain, Waterproof Brown Leather and Abrasion Resistant Nylon
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 882
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 5-12,13,14 WW 5-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

Direct Attach StarGrip®

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX ELECTRUM Men's 6-inch Boot

5611 NT EH

UPPER: Full Grain, Waterproof Black Leather and Abrasion Resistant Nylon
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13

bbp

SOLE RESISTANCE CHART

PU Cascade I

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

WORX TRUSS Men's 6-inch Boot

5606 ST EH

UPPER: Full Grain, Waterproof Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 696
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 8-12,13,14 WW 8-12,13

SOLE RESISTANCE CHART

ENDURANCE Arrowhead

Slip	Good
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

WORX GRAVEL Men's 6-inch Boot

5906 ST PR EH

UPPER: Full Grain Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 800
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: M 7-12,13,14 WW 8-12,13,14

KING TOE SWEN-FLEX HRO

SOLE RESISTANCE CHART

Rubber Resister

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX TRUSS Men's 6-inch Boot

5800 ST PR EH

UPPER: Full Grain, Oiled Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 800
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: M 7-12,13,14 WW 8-12,13

KING TOE

SOLE RESISTANCE CHART

ENDURANCE Cross Wire

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

WORX ELECTRUM Men's 6-inch Boot

5266 NT EH

UPPER: Full Grain Black Leather and Abrasion Resistant Nylon
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 4-12,13,14 WW 8-12,13

SOLE RESISTANCE CHART

PU Cascade I

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

WORX JOIST Men's 6-inch Romeo

5424 ST EH

UPPER: Full Grain, Oiled Black Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 702
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13

SOLE RESISTANCE CHART

ENDURANCE Arrowhead

Slip	Good
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

WORX JOIST Men's 6-inch Romeo

5425 ST EH

UPPER: Nubuck, Oiled Dark Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 702
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13

SOLE RESISTANCE CHART

ENDURANCE Arrowhead

Slip	Good
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

WORX LITHIUM Men's 6-inch Boot

5422 ST EH

UPPER: Polyurethane Coated Leather
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

ViperLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX LITHIUM Men's 6-inch Boot

5423 ST EH

UPPER: Polyurethane Coated Leather
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

ViperLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX STAINLESS Men's 6-inch Boot

5629 NT EH

UPPER: Polyurethane Coated Black Leather
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Dual Grip I-O

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX TRUSS Men's 6-inch Boot

5605 ST EH

UPPER: Full Grain Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 800
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

KING TOE

SOLE RESISTANCE CHART

ENDURANCE Cross Wire

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

WORX TRUSS Men's 6-inch Boot

5607 ST EH

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 800
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

KING TOE

SOLE RESISTANCE CHART

ENDURANCE Cross Wire

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

WORX ZINC Men's 6-inch Boot

5628 ST EH

UPPER: Full Grain Brown Leather
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: 6654
CONSTRUCTION: Cement

RATING: ASTM F2413-11, M/I/75/C/75, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Dual Zone

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

WORX ZINC Men's 6-inch Boot

5631 ST EH

UPPER: Full Grain Leather
FOOTBED: Removable Polyurethane
LAST: 207JV
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Channel

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

— 51 STYLES —

8-9-INCH BOOTS

Engineered and field-tested for the longest, toughtest workdays.

8-9-INCH

Return to Table of Contents

RED WING KING TOE® Men's 8-inch Boot

3548 NT PR EH

UPPER: Full Grain, Waterproof Mahogany Cider Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

3M Thinsulate Ultra Insulation 800 gram

SOLE RESISTANCE CHART

Vibram® Galactic Fire and Ice

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

RED WING KING TOE® ADC Men's 8-inch Boot

3552 NT PR EH

UPPER: Full Grain, Waterproof Brown Rosseto Leather
FOOTBED: Quadrex Four-Layer System
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13,14

3M Thinsulate Ultra Insulation 400 gram

SOLE RESISTANCE CHART

Rubber VariLug

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

RED WING SUPERSOLE® 2.0 Men's 8-inch Boot

2412 ST PR EH

UPPER: Full Grain, Waterproof Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: B 10-12,13,14 D 6-12,13,14,15 E 7-12,13 EEE 7-12,13,14,15

3M Thinsulate Ultra Insulation 400 gram

SOLE RESISTANCE CHART

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

RED WING SUPERSOLE® 2.0 Men's 8-inch Boot

2416 ST PR EH

UPPER: Full Grain, Waterproof Black Yukon Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: B 10-12,13 D 7-12,13,14 EEE 8-12,13

3M Thinsulate Ultra Insulation 400 gram

SOLE RESISTANCE CHART

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

RED WING DYNAFORCE® Men's 8-inch Boot

4442 ST EH **1242** EH

UPPER: Full Grain, Waterproof Weathered Oak Voyageur Leather
FOOTBED: ComfortForce®
SHANK: Non-metallic
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: (4442) ASTM F2413-18, M/I/C, EH (1242) ASTM F2892-18, EH
SIZES: (4442) B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13,14
SIZES: (1242) D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13,14

RW WATERPROOF · 3M Thinsulate Ultra INSULATION 400 gram · R|W LEATHER · DYNAFORCE · CF · SUPER-SOLE

SOLE RESISTANCE CHART

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING KING TOE® Men's 8-inch Boot

2244 NT EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATERPROOF · 3M Thinsulate Ultra INSULATION 400 gram · R|W LEATHER · KING TOE

SOLE RESISTANCE CHART

TPU-PU Galaxy

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

RED WING BRNR XP Men's 8-inch Boot

4454 NT EH

UPPER: Full Grain, Waterproof Blackened Taos Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

RW WATERPROOF · R|W LEATHER · FORCE GUARD · HRO

SOLE RESISTANCE CHART

Dual Density GripTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING TRADESMAN Men's 8-inch Boot

4450 NT EH

UPPER: Nubuck, Waterproof Hazelnut Printed Vaca Loca Leather
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: 601
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

RW WATERPROOF · COSMOCOMFORT · R|W LEATHER · HRO

SOLE RESISTANCE CHART

VersaTrax

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

RED WING BRNR XP Men's 8-inch Boot

3524 NT PR EH

UPPER: Full Grain, Waterproof Blackened Taos Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Dual Density GripTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

NEW

Available Spring 2020

RED WING BURNSIDE Men's 8-inch Boot

3520 NT PR EH

UPPER: Nubuck, Waterproof and Waxed Brown Vaca Loca Leather and Abrasion Resistant Synthetic
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

SOLE RESISTANCE CHART

Vibram® UltraSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

NEW

Available Spring 2020

RED WING EXOS LITE Men's 8-inch Boot

2455 AT PR EH

UPPER: Full Grain, Waterproof Onyx Yukon Leather
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: JV305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 6-12,13,14,15 EE 6-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Vibram® X-treme Lite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CAMBODIA

RED WING KING TOE® Men's 8-inch Boot

3512 NT PR EH

UPPER: Full Grain, Waterproof Black Yukon Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

Vibram® Galactic Fire and Ice

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

RED WING SUPERSOLE® 2.0 Men's 8-inch Boot

2414 ST PR EH

UPPER: Full Grain, Waterproof Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: B 10-12,13,14 D 7-12,13,14,15 E 7-12,13 EEE 7-12,13,14

GORE-TEX · R|W LEATHER · SWEN-FLEX · SUPER+SOLE 2.0

SOLE RESISTANCE CHART

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

RED WING TRADESMAN Men's 8-inch Boot

3531 NT PR EH

UPPER: Nubuck, Waterproof Hazelnut Printed Vaca Loca Leather and Abrasion Resistant Mesh
FOOTBED: Removable Polyurethane
LAST: 601
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

RW WATERPROOF · R|W LEATHER · HRO

SOLE RESISTANCE CHART

VersaTrax

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

RED WING BURNSIDE Men's 8-inch Boot

4443 NT EH

UPPER: Full Grain, Waterproof Dark Brown Vaca Loca Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

RW WATERPROOF · R|W LEATHER · FORCE GUARD · HRO · Vibram

SOLE RESISTANCE CHART

Vibram® UltraSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

RED WING DYNAFORCE® Men's 8-inch Boot

4200 ST EH **400** EH

UPPER: Full Grain, Waterproof Mahogany Voyageur Leather
FOOTBED: ComfortForce®
SHANK: Non-metallic
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: (4200) ASTM F2413-18, M/I/C, EH (400) ASTM F2892-18, EH
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13,14

RW WATERPROOF · R|W LEATHER · DYNAFORCE · SUPER+SOLE

SOLE RESISTANCE CHART

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING FLEXFORCE® Men's 8-inch Boot

2409 AT EH

UPPER: Full Grain, Waterproof Brown Taos Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14

SOLE RESISTANCE CHART

Vibram® Rubber-PU XClaim TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING KING TOE® Men's 8-inch Boot

2280 NT EH **1447** EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: (2280) 800 (1447) 800
CONSTRUCTION: Direct Attach

RATING: (2280) ASTM F2413-18, M/I/C, EH (1447) ASTM F2892-18, EH
SIZES: (2280) D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13
SIZES: (1447) D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

TPU-PU Galaxy

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

RED WING KING TOE® ADC Men's 8-inch Boot

4427 NT EH

UPPER: Full Grain, Waterproof Gaucho Leather
FOOTBED: Quadrex Four-Layer System
SHANK: Nylon
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13,14

SOLE RESISTANCE CHART

Rubber VariLug

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

RED WING MAXBOND Men's 8-inch Boot

2491 ST EH

UPPER: Brown Cordura®
FOOTBED: ComfortForce®
SHANK: Non-metallic
LAST: 694
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 4-12,13,14,15 EE 6-12,13,14

SOLE RESISTANCE CHART

Dual Density Mini Lug II

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

ST Steel Toe — Puntera de Acero
AT Aluminum Toe — Puntera de Aluminio
NT Non-Metallic Toe — Puntera No Metálica
Waterproof — Impermeable
Insulated — Con Aislamiento

Return to Table of Contents

RED WING MAXBOND Men's 8-inch Boot

2493 ST EH

UPPER: Black Cordura
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 694
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 6-12,13,14

RW WATERPROOF · FORCE GUARD

SOLE RESISTANCE CHART

Dual Density Mini Lug II

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

NEW

Available Spring 2020

RED WING RIO FLEX Men's 8-inch Boot

4469 ST EH

UPPER: Nubuck, Waterproof Leather
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: 689
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 8-12,13,14 D 7-12,13,14,15 EE 7-12,13,14,15

RW WATERPROOF

SOLE RESISTANCE CHART

Red Wing BarnStormer

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING TRACTION TRED Men's 8-inch Boot

2418 NT EH **411** EH

UPPER: Full Grain, Waterproof Red Oak Mesa Leather
FOOTBED: Nylon Covered Polyurethane
LAST: (2418) 325 (411) 325
CONSTRUCTION: Goodyear Leather Welt

RATING: (2418) ASTM F2413-18, M/I/C, EH (411) ASTM F2892-18, EH
SIZES: (2418) D 7-12,13,14,15 EE 8-12,13,14
SIZES: (411) D 7-12,13,14,15 EE 8-12,13,14

RW WATERPROOF · R|W LEATHER · HRO

SOLE RESISTANCE CHART

Rubber-Blown Rubber Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

RED WING TRACTION TRED LITE Men's 8-inch Boot

2442 NT EH

FOOTBED: Removable Polyurethane
LAST: 325
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12

RW WATERPROOF · R|W LEATHER · HRO · VibraLite LITEBASE

SOLE RESISTANCE CHART

Traction Tred UltraLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING SUPERSOLE® Men's 8-inch Boot

4473 ST EH

UPPER: Full Grain, Waterproof Black Star Leather
SHANK: Fiberglass
LAST: 522
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH PR
SIZES: B 9-12,13,14 D 4-12,13,14 E 8-12 EEE 8-12

SOLE RESISTANCE CHART

Mini Lug SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

RED WING SUPERSOLE® 2.0 Men's 8-inch Boot

3508 ST PR EH

UPPER: Full Grain, Water-Resistant Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: B 10-12,13,14 D 7-12,13,14,15,16 EE 7-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

RED WING DYNAFORCE® Men's 8-inch Boot

2203 ST EH **903** EH

UPPER: Full Grain Golden Bighorn Leather
FOOTBED: ComfortForce®
SHANK: Non-metallic
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: (2203) ASTM F2413-18, M/I/C, EH (903) ASTM F2892-18, EH
SIZES: B 9-12,13,14,15 D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING SUPERSOLE® Men's 8-inch Boot

2233 ST EH

UPPER: Full Grain, Water-Resistant Velva Boomer Leather
SHANK: Steel
LAST: 522
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: AA 10-12,13,14 A 10-12,13,14 B 8-12,13,14,15,16
C 8-12,13 D 5-12,13,14,15,16,17,18 E 6-12,13,14
EE 7-12,13,14 EEE 6-12,13,14,15,16

SOLE RESISTANCE CHART

Mini Lug SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

RED WING SUPERSOLE® 2.0 Men's 8-inch Boot

2408 ST EH **608** EH

UPPER: Full Grain, Water-Resistant Nutmeg Ebbtide Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: (2408) 694 (608) 695
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: (2408) ASTM F2413-18, M/I/C, EH (608) ASTM F2892-18, EH
SIZES: (2408) B 8-12,13,14,15 D 6-12,13,14,15,16 E 8-12,13 EE 7-12,13,14,15 H 8-12,13,14,15
SIZES: (608) B 9-12,13,14,15 D 7-12,13,14,15,16 E 8-12,13 EE 7-12,13,14,15 H 9-12,13,14

R|W LEATHER · 2.0 SUPER-SOLE

SOLE RESISTANCE CHART

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

IRISH SETTER WORK RAMSEY 2.0 Men's 8-inch Boot

83848 AT EH

UPPER: USA Made Full Grain, Waterproof Weathered Oak Voyageur Leather
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 702-3E-2
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

ULTRA DRY · PRIMALOFT 1000 gram · TROUT BROOK LEATHER · ARMA TEC · ENERGY+

SOLE RESISTANCE CHART

Rubber-PU Comfort Trek

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Better
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK RAMSEY 2.0 Men's 8-inch Boot

83846 AT EH

UPPER: USA Made Full Grain, Waterproof Weathered Oak Voyageur Leather
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 702-3E-2
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

ULTRA DRY · PRIMALOFT 600 gram · TROUT BROOK LEATHER · ARMA TEC · ENERGY+

SOLE RESISTANCE CHART

Rubber-PU Comfort Trek

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Better
Non-Marking	Yes

MADE IN CAMBODIA

NEW

Available Fall 2020

IRISH SETTER WORK CROSBY Men's 8-inch Boot

83854 NT EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Memory Foam-EVA
SHANK: Nylon
LAST: 157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY · PRIMALOFT 400 gram · HRO · ENERGY+ · STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **CROSBY Men's** 8-inch Boot

83842 NT PR EH

UPPER: Full Grain, Waterproof Abrasion Resistant Nylon
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: 157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY | CUSHIN | ARMA TEC | SWEN-FLEX | HRO | ENERGY | STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

IRISH SETTER WORK **WINGSHOOTER ST Men's** 8-inch Boot

83856 NT PR EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Polyurethane
LAST: 157
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 6-12,13,14,15 EE 7-12,13,14

ULTRA DRY | HRO

SOLE RESISTANCE CHART

Rubber-EVA Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **CROSBY Men's** 8-inch Boot

83830 NT EH

UPPER: Full Grain, Waterproof Gray Leather and Abrasion Resistant Nylon
FOOTBED: Removable Memory Foam-EVA
SHANK: Nylon
LAST: 157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY | CUSHIN | ARMA TEC | HRO | ENERGY | STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **KASOTA Men's** 8-inch Boot

83840 NT EH

UPPER: Full Grain, Waterproof Abrasion Resistant Synthetic
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY | CUSHIN | ARMA TEC | HRO | ENERGY

SOLE RESISTANCE CHART

TriTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

IRISH SETTER WORK **RAMSEY 2.0 Men's** 8-inch Boot

83850 AT EH **83831** EH

UPPER: USA Made Full Grain, Waterproof Hazelnut Voyageur Leather
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 702-3E-2
CONSTRUCTION: Direct Attach to Welt

RATING: (83850) ASTM F2413-18, M/I/C, EH **(833831)** ASTM F2892-18, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

ULTRA DRY TROUT BROOK LEATHER ARMA TEC XT ENERG
(Style 83850)

SOLE RESISTANCE CHART

Rubber-PU Comfort Trek

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Better
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK **WINGSHOOTER ST Men's** 8-inch Boot

83832 NT EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Polyurethane
LAST: 157
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

ULTRA DRY HRO

SOLE RESISTANCE CHART

Rubber-EVA Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

IRISH SETTER WORK **FARMINGTON KT Men's** 8-inch Boot

83860 NT EH

UPPER: USA Made Nubuck, Waxed Brown Barnboard Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 800
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

CUSHIN TROUT BROOK LEATHER KING TOE

SOLE RESISTANCE CHART

ENDURANCE Cross Wire KT

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK **MARSHALL Men's** 9-inch Boot

83852 ST EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-435
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

ULTRA DRY RPM TECHNOLOGY

SOLE RESISTANCE CHART

Rubber-RPM Roper

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **MESABI Men's** 9-inch Boot

83826 AT EH

UPPER: Full Grain, Waterproof Java Soggy Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-108H
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY CUSHIN HRO

SOLE RESISTANCE CHART

Flathead Bob

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	No

MADE IN VIETNAM

WORX ADAMITE Men's 8-inch Boot

5802 NT EH

UPPER: Full Grain, Waterproof Brown Leather and Abrasion Resistant Nylon
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 882
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 5-12,13,14,15 WW 8-12,13,14

COSMOCOMFORT HRO StarGrip

SOLE RESISTANCE CHART

Direct Attach StarGrip®

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX GRAVEL Men's 8-inch Boot

5908 ST PR EH

UPPER: Full Grain Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 800
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: M 7-12,13,14 WW 8-12,13,14

KING TOE SWEN-FLEX HRO

SOLE RESISTANCE CHART

Rubber Resister

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX ELECTRUM Men's 8-inch Boot

5290 NT EH

UPPER: Full Grain Black Leather and Abrasion Resistant Nylon
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 7-12,13,14 WW 8-12,13

SOLE RESISTANCE CHART

PU Cascade I

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents



— 14 STYLES

LOGGER / LINEMAN

Rugged protection and support for extra certainty on your feet.

RED WING LOGGERMAX Men's 9-inch Logger Boot

4416 ST EH

UPPER: Full Grain, Waterproof Black Scout Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Lineman Steel
LAST: 634
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14

RW WATERPROOF · 3M Thinsulate Ultra INSULATION 400 gram · HRO · Vibram

SOLE RESISTANCE CHART

Vibram® 360 Logger TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING LOGGERMAX Men's 9-inch Logger Boot

4417 ST EH **616** EH

UPPER: Full Grain, Waterproof Gaucho Yuma Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Lineman Steel
LAST: (4417) 634 (616) 635
CONSTRUCTION: Goodyear Welt

RATING: (4417) ASTM F2413-18, M/I/C, EH (616) ASTM F2892-18, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 9-12,13

RW WATERPROOF · 3M Thinsulate Ultra INSULATION 400 gram · R|W LEATHER · HRO · Vibram

SOLE RESISTANCE CHART

Vibram® 360 Logger TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING LOGGERMAX Men's 9-inch Logger Boot

2219 ST EH

UPPER: Nubuck, Waterproof Wheat Voyageur Leather
FOOTBED: Removable Polyurethane
SHANK: Lineman Steel
LAST: 690
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

RW WATERPROOF · COSMOCOMFORT · R|W LEATHER · HRO · Vibram

SOLE RESISTANCE CHART

Vibram® All-Terrain Fire and Ice

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

PR Puncture Resistant / Resistente a las Perforaciones
MT Metatarsal Guard / Protector del Metatarso
EH Electrical Hazard / Peligro Eléctrico
SD Static-Dissipative / Disipador de Estática

1.800.239.1064
redwingsafety.com

RED WING LOGGERMAX Men's 9-inch Logger Boot

4420 ST EH **620** EH

UPPER: Full Grain, Waterproof Gaucho Yuma Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Lineman Steel
LAST: (4420) 634 (620) 635
CONSTRUCTION: Goodyear Leather Welt

RATING: (4420) ASTM F2413-18, M/I/C, EH (620) ASTM F2892-18, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14

SOLE RESISTANCE CHART

Vibram® 360 Logger TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING LOGGERMAX Men's 9-inch Logger Boot

2216 ST EH

UPPER: Full Grain, Waterproof Black Logger Leather
FOOTBED: Removable Polyurethane
SHANK: Lineman Steel
LAST: 690
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

Vibram® All-Terrain Fire and Ice

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING LOGGERMAX Men's 9-inch Logger Boot

2217 ST EH

UPPER: Nubuck, Waterproof Wheat Voyageur Leather
FOOTBED: Removable Polyurethane
SHANK: Lineman Steel
LAST: 690
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

Vibram® All-Terrain Fire and Ice

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING LOGGERMAX Men's 9-inch Logger-Lineman Boot

2218 ST EH

UPPER: Full Grain, Water-Resistant Black Boomer Leather
SHANK: Lineman Steel
LAST: 50
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 9-12,13,14 D 6-12,13,14,15,16 E 8-12,13 EE 8-12,13,14

SOLE RESISTANCE CHART

Vibram® Logger

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

IRISH SETTER WORK MESABI Men's 8-inch Logger Boot

83838 ST EH

UPPER: Full Grain, Waterproof Brown Leather
FOOTBED: Removable EVA
SHANK: Lineman Steel
LAST: 631
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14,15 EE 8-12,13,14

ULTRA DRY 600g Insulation HRO

SOLE RESISTANCE CHART

Stars and Bars Logger

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK MESABI Men's 8-inch Logger Boot

83844 ST PR EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable EVA
SHANK: Lineman Steel
LAST: 631
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH PR
SIZES: D 8-12,13,14,15 EE 8-12,13,14

ULTRA DRY SWEN-FLEX HRO

SOLE RESISTANCE CHART

Stars and Bars Logger

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK MESABI Men's 8-inch Logger Boot

83834 ST EH **83829** EH

UPPER: Full Grain, Waterproof Brown Leather
FOOTBED: Removable EVA
SHANK: Lineman Steel
LAST: (83834) 631 (83829) 607
CONSTRUCTION: Goodyear Welt

RATING: (83834) ASTM F2413-18, M/I/C, EH (83829) ASTM F2892-18, EH
SIZES: (83834) D 8-12,13,14,15 EE 8-12,13,14
SIZES: (83829) D 8-12,13,14,15 EE 8-12,13,14

ULTRA DRY HRO

SOLE RESISTANCE CHART

Stars and Bars Logger

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK MESABI Men's 8-inch Logger Boot

83836 ST EH

UPPER: Full Grain, Waterproof Black Leather
FOOTBED: Removable EVA
SHANK: Lineman Steel
LAST: 631
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14,15 EE 8-12,13,14

ULTRA DRY HRO

SOLE RESISTANCE CHART

Stars and Bars Logger

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

— 52 STYLES —

PULL-ON BOOTS

Easy-on/easy-off boots stand up to any punishment you dish out.

RED WING TRADESMAN Men's 10-inch Pull-On Boot

4250 NT EH

UPPER: Nubuck, Waterproof Hazelnut Printed Vaca Loca Leather
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: 601
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

RW WATERPROOF · R|W LEATHER · HRO

SOLE RESISTANCE CHART

VersaTrax

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

NEW

Available Fall 2020

RED WING BRNR XP Men's 11-inch Pull-On Boot

3555 NT PR EH

UPPER: Full Grain, Waterproof Black Dove Leather and Abrasion Resistant Mesh
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

RW WATERPROOF · COSMOCOMFORT · R|W LEATHER · FORCE GUARD · SWEN-FLEX · HRO

SOLE RESISTANCE CHART

Dual Density GripTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

ST Steel Toe / Puntera de Acero · AT Aluminum Toe / Puntera de Aluminio · NT Non-Metallic Toe / Puntera No Metálica · Waterproof / Impermeable · Insulated / Con Aislamiento

Return to Table of Contents

RED WING BRNR XP Men's 11-inch Pull-On

3553 NT PR EH

UPPER: Full Grain, Waterproof Blackened Taos Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Dual Density GripTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING BRNR XP Men's 11-inch Pull-On Boot

2253 NT EH

UPPER: Full Grain, Waterproof Oro Taos Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Dual Density GripTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING BURNSIDE Men's 11-inch Pull-On Boot

4201 NT EH

UPPER: Full Grain, Waterproof Dark Brown Vaca Loca Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15,16 EE 6-12,13,14,15 H 8-12,13,14

SOLE RESISTANCE CHART

Vibram® UltraSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

RED WING CRV™ Men's 11-inch Pull-On Boot

4239 AT EH

UPPER: Full Grain, Waterproof Brown Taos Leather
FOOTBED: Removable Polyurethane
SHANK: Fiberglass
LAST: 600
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 6-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

Tempo

Slip	Good
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	No

MADE IN THE USA W/IMPORTED MATERIALS

PULL-ON

PULL-ON

RED WING DYNAFORCE® Men's 11-Inch Pull-On Boot

2272 ST EH **1172** EH

UPPER: Full Grain, Waterproof Mahogany Voyageur Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 696
CONSTRUCTION: SuperSole® Welt

RATING: (2272) ASTM F2413-18, M/I/C, EH (1172) ASTM F2892-18, EH
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13,14

SOLE RESISTANCE CHART

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING FLEXFORCE® Men's 11-inch Pull-On Boot

4448 AT EH

UPPER: Full Grain, Waterproof Brown Taos Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 230
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13,14

SOLE RESISTANCE CHART

Vibram® Rubber-PU XClaim TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING MAXBOND Men's 12-inch Pull-On Boot

2499 ST EH

UPPER: Brown Cordura®
FOOTBED: ComfortForce®
SHANK: Non-metallic
LAST: 696
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 8-12,13

SOLE RESISTANCE CHART

Dual Density Mini Lug II

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

RED WING MAXBOND Men's 11-inch Pull-On Boot

4293 ST EH

UPPER: Black Cordura
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 696
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 7-12,13,14,15 EE 8-12,13

SOLE RESISTANCE CHART

Dual Density Mini Lug II

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

NEW

Available Spring 2020

RED WING RIO FLEX Men's 11-inch Pull-On Boot

2204 ST EH

UPPER: Nubuck, Waterproof Leather
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: 689
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 8-12,13,14 D 7-12,13,14,15 EE 7-12,13,14,15

RW WATERPROOF · DYNAMIC FIT SYSTEM

SOLE RESISTANCE CHART

Red Wing BarnStormer

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

RED WING RIO FLEX Men's 11-inch Pull-On Boot

2208 ST EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: 689
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 8-12,13,14 D 7-12,13,14,15 EE 7-12,13,14,15

RW WATERPROOF · DYNAMIC FIT SYSTEM

SOLE RESISTANCE CHART

Red Wing BarnStormer

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING SUPERSOLE® Men's 11-inch Pull-On Boot

2230 ST EH

UPPER: Full Grain, Waterproof Raindance Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

RW WATERPROOF · R|W LEATHER · SUPER•SOLE

SOLE RESISTANCE CHART

Mini Lug SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

RED WING SUPERSOLE® Men's 11-inch Pull-On Boot

4441 ST EH

UPPER: Full Grain, Water-Resistant Velva Boomer Leather
SHANK: Steel
LAST: 522
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14 EE 7-12,13,14

3M Thinsulate Ultra INSULATION 400 gram · R|W LEATHER · SUPER•SOLE

SOLE RESISTANCE CHART

Mini Lug SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

RED WING SUPERSOLE® 2.0 Men's 11-inch Pull-On Boot

3505 ST PR EH

UPPER: Full Grain, Water-Resistant Amber Portage Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 7-12,13,14,15 EE 7-12,13 H 8-12,13

SOLE RESISTANCE CHART

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

RED WING SUPERSOLE® Men's 11-inch Pull-On Boot

2231 ST EH

UPPER: Full Grain, Water-Resistant Velva Boomer Leather
SHANK: Steel
LAST: 522
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: AA 10-12,13,14 A 10-12,13,14 B 4-12,13,14,15,16
C 8-12,13 D 5-12,13,14,15,16 E 6-12,13,14 EE 7-12,13,14,15
EEE 6-12,13,14,15,16

SOLE RESISTANCE CHART

Mini Lug SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

RED WING SUPERSOLE® Men's 11-inch Pull-On Boot

4470 ST EH

UPPER: Full Grain, Water-Resistant Briar Pit Stop Leather
FOOTBED: ComfortForce®
SHANK: Steel
LAST: 199
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 9-12,13,14 D 7-12,13,14,15 E 8-11 EE 7-12,13,14

SOLE RESISTANCE CHART

Diamond Back SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA

RED WING SUPERSOLE® 2.0 Men's 11-inch Pull-On Boot

2405 ST EH

UPPER: Full Grain, Water-Resistant Amber Portage Leather
FOOTBED: ComfortForce®
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: Dual Density SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: B 9-12,13,14 D 7-12,13,14,15 EE 6-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

Aztec SuperSole® 2.0

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

RED WING INJEX™ Men's 17-inch Pull-On Boot

59001 ST PR EH

UPPER: Polyurethane
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 300
CONSTRUCTION: Injection

RATING: ASTM F2413-18, M/I/C, EH PR
SIZES: D 7-12,13,14,15

INJEX

SOLE RESISTANCE CHART

Mini Lug RBR

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

RED WING INJEX™ XPL Men's 17-inch Pull-On Boot

59005 ST EH **59002** EH

UPPER: Polyurethane
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 300
CONSTRUCTION: Injection

RATING: (59005) ASTM F2413-18, M/I/C, EH (59002) ASTM F2892-18, EH
SIZES: D 7-12,13,14,15

INJEX

SOLE RESISTANCE CHART

Chevron Hexagon

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

IRISH SETTER WORK ASHBY Men's 9-inch Pull-On

83908 AT EH **83909** AT

UPPER: USA Made Full Grain, Waterproof Briar Turbo Vegas Leather
FOOTBED: Removable Polyurethane
LAST: 696
CONSTRUCTION: Goodyear Welt

RATING: (83908) ASTM F2413-18, M/I/C, EH (83909) ASTM F2892-18, EH
SIZES: D 7-12,13,14 EE 7-12,13

TROUT BROOK LEATHER HRO

SOLE RESISTANCE CHART

Rubber-EVA Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK RAMSEY 2.0 Men's 11-inch Pull-On Boot

83960 AT EH

UPPER: USA Made Full Grain, Waterproof Weathered Oak Voyageur Leather
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 702-3E-2
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

ULTRA DRY PRIMALOFT 600 gram TROUT BROOK LEATHER ARMA TEC XT ENERGY+

SOLE RESISTANCE CHART

Rubber-PU Comfort Trek

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Better
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK **CROSBY Men's** 11-inch Pull-On Boot

83936 NT EH

UPPER: Full Grain, Waterproof Gray Leather and Abrasion Resistant Nylon
FOOTBED: Removable Memory Foam-EVA
SHANK: Nylon
LAST: 230
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13,14

ULTRA DRY · EXOFLEX · CUSHIN · ARMA TEC · HRO · RPM TECHNOLOGY · ENERG · STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **MARSHALL Men's** 11-inch Pull-On Boot

83912 ST EH **83923** EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-435
CONSTRUCTION: Goodyear Welt

RATING: **(83912)** ASTM F2413-18, M/I/C, EH **(83923)** ASTM F2892-18, EH
SIZES: **(83912)** D 8-12,13,14,15,16 EE 8-12,13,14
(83923) D 8-12,13,14 EE8-12,13

ULTRA DRY · HRO · RPM TECHNOLOGY

SOLE RESISTANCE CHART

Rubber-RPM Roper

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **MARSHALL Men's** 11-inch Pull-On Boot

83916 ST EH

UPPER: Full Grain, Waterproof Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-435
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

ULTRA DRY · HRO · RPM TECHNOLOGY

SOLE RESISTANCE CHART

Rubber-RPM Roper

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **MARSHALL Men's** 11-inch Pull-On Boot

83924 ST EH

UPPER: Full Grain, Waterproof Brown Leather and Abrasion Resistant Nylon
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-435
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

ULTRA DRY · REALTREE · HRO · RPM TECHNOLOGY

SOLE RESISTANCE CHART

Rubber-RPM Roper

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero · AT Aluminum Toe / Puntera de Aluminio · NT Non-Metallic Toe / Puntera No Metálica · Waterproof / Impermeable · Insulated / Con Aislamiento

Return to Table of Contents

IRISH SETTER WORK MARSHALL Men's 11-inch Pull-on Boot

83926 ST EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-437
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

ULTRA DRY HRO RPM TECHNOLOGY

SOLE RESISTANCE CHART

Rubber-RPM Roper RD

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK MARSHALL Men's 11-inch Pull-On Boot

83930 ST EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-435
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

ULTRA DRY HRO RPM TECHNOLOGY

SOLE RESISTANCE CHART

Rubber-RPM Roper

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK MARSHALL Men's 11-inch Pull-On Boot

83938 ST EH **83933** EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-435
CONSTRUCTION: Goodyear Welt

RATING: **(83938)** ASTM F2413-18, M/I/C, EH **(83933)** ASTM F2892-18, EH
SIZES: D 8-12,13,14 EE 8-12,13

ULTRA DRY HRO RPM TECHNOLOGY

SOLE RESISTANCE CHART

Rubber-RPM Roper

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK MARSHALL Men's 11-inch Pull-On Boot

83942 ST EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-435
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

ULTRA DRY HRO RPM TECHNOLOGY

SOLE RESISTANCE CHART

Rubber-RPM Roper

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK MARSHALL Men's 11-inch Pull-On Boot

83956 ST EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-435
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

ULTRA DRY RPM TECHNOLOGY

SOLE RESISTANCE CHART

Rubber-RPM Roper

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

IRISH SETTER WORK MARSHALL Men's 11-inch Pull-On Boot

83970 NT EH

UPPER: Roughout, Waterproof and Oiled Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-440
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

ULTRA DRY RPM TECHNOLOGY HRO

SOLE RESISTANCE CHART

Rubber-RPM Roper

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

IRISH SETTER WORK MARSHALL Men's 11-inch Pull-On Boot

83972 NT EH

UPPER: Full Grain, Waterproof, Oiled and Waxed Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-440
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 8-12,13,14 EE 8-12,13

ULTRA DRY RPM TECHNOLOGY HRO

SOLE RESISTANCE CHART

Rubber-RPM Roper

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK RAMSEY 2.0 Men's 11-inch Pull-On Boot

83952 AT EH **83939** EH

UPPER: USA Made Full Grain, Waterproof Hazelnut Voyageur Leather
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 702-3E-2
CONSTRUCTION: Direct Attach to Welt

RATING: **(83952)** ASTM F2413-18, M/I/C, EH **(83939)** ASTM F2892-18, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

ULTRA DRY TROUT BROOK LEATHER ARMATEC ENERGY

SOLE RESISTANCE CHART

Rubber-PU Comfort Trek

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Better
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

IRISH SETTER WORK TWO HARBORS Men's 11-inch Pull-On Boot

83906 ST EH **83907** EH

UPPER: Full Grain, Waterproof Mocha Crazy Horse Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 229
CONSTRUCTION: Cement to Welt

RATING: (83906) ASTM F2413-18, M/I/C, EH **(83907)** ASTM F2892-18, EH
SIZES: D 8-12,13,14 EE 8-12,13

ULTRA DRY HRO Vibram STABLE FLEX

SOLE RESISTANCE CHART

Vibram® Rubber-PU XClaim TC-4 Plus

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

IRISH SETTER WORK WINGSHOOTER ST Men's 11-inch Pull-On Boot

83962 NT EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Polyurethane
LAST: 230
CONSTRUCTION: Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

HRO

SOLE RESISTANCE CHART

Rubber-EVA Traction Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

IRISH SETTER WORK FARMINGTON KT Men's 11-inch Pull-On Boot

83958 NT EH

UPPER: USA Made Nubuck, Waxed Brown Barnboard Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 800
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

TROUT BROOK LEATHER KING TOE

SOLE RESISTANCE CHART

ENDURANCE Cross Wire KT

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK MARSHALL Men's 11-inch Pull-On

83910 ST EH **83911** EH

UPPER: Full Grain Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: (83910) IS-435 **(83911)** IS-436
CONSTRUCTION: Goodyear Welt

RATING: (83910) ASTM F2413-18, M/I/C, EH **(83911)** ASTM F2892-18, EH
SIZES: D 8-12,13,14 EE 8-12,13

HRO RPM TECHNOLOGY

SOLE RESISTANCE CHART

Rubber-RPM Roper

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK WALKER Men's 11-inch Pull-On Boot

83946 ST EH

UPPER: Full Grain Leather
FOOTBED: Removable EVA
SHANK: Steel
LAST: IS-435
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: D 6-12,13,14 EE 7-12,13,14

HRO

SOLE RESISTANCE CHART

Dynamite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK WALKER Men's 11-inch Pull-On Boot

83948 ST EH **83937** EH

UPPER: Full Grain Leather
FOOTBED: Removable EVA
SHANK: Steel
LAST: (83948) IS-435 (83937) IS-436
CONSTRUCTION: Goodyear Welt

RATING: (83948) ASTM F2413-18, M/I/C, EH (83937) ASTM F2892-18, EH
SIZES: D 6-12,13,14 EE 7-12,13,14

HRO

SOLE RESISTANCE CHART

Dynamite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

IRISH SETTER WORK IRONTON Men's 17-inch Pull-On Boot

89010 ST EH **89009** EH

UPPER: Polyurethane
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 300
CONSTRUCTION: Injection

RATING: (89010) ASTM F2413-18, M/I/C, EH (89009) ASTM F2892-18, EH
SIZES: D 7,8,9,10,11,12,13,14,15

SOLE RESISTANCE CHART

SW Chevron Hexagon

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

WORX TRUSS Men's 10-inch Pull-On Boot

5700 ST EH

UPPER: Full Grain, Waterproof Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 696
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, EH
SIZES: M 8-12,13,14 WW 8-12,13

SOLE RESISTANCE CHART

ENDURANCE Arrowhead

Slip	Good
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

— 27 STYLES —

METATARSAL GUARD

Protect the feet from dangerous drop and impact hazards.

RED WING BRNR XP Men's 6-inch Boot

2433 NT MT EH

UPPER: Full Grain, Waterproof Blackened Taos Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Dual Density GripTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING SUPERSOLE® Men's 6-inch Boot

4433 ST MT EH

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: B 10-12,13,14 D 8-12,13,14,15 EE 8-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

MET GUARD

RED WING FLEXBOND Men's 6-inch Boot

4421 NT MT EH

UPPER: Full Grain Crazyhorse Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: CH-691
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: D 8-12,13,14 EE 8-12,13

SOLE RESISTANCE CHART

Rubber-PU Auger

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

RED WING KING TOE® Men's 6-inch Boot

4456 NT MT EH

UPPER: Full Grain Poplar Frontier Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14

SOLE RESISTANCE CHART

TPU-PU Galaxy

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

NEW

Available Spring 2020

RED WING BRNR XP Men's 8-inch Boot

3534 NT PR MT EH

UPPER: Full Grain, Waterproof Black Dove Leather and Abrasion Resistant Mesh
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, Mt EH PR, CSA Grade 1, ESR Rated, PR
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Dual Density GripTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING KING TOE® Men's 8-inch Boot

3530 NT PR MT EH

UPPER: Full Grain, Waterproof Mahogany Cider Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, Mt EH PR, CSA Grade 1, ESR Rated, PR, M
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

Vibram® Galactic Fire and Ice

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

RED WING KING TOE® ADC Men's 8-inch Boot

3516 NT PR MT EH

UPPER: Full Grain, Waterproof Brown Rosseto Leather
FOOTBED: Quadrex Four-Layer System
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, Mt EH PR, CSA Grade 1, ESR Rated, PR, M
SIZES: D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13,14

SOLE RESISTANCE CHART

Rubber VariLug

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

RED WING BRNR XP Men's 8-inch Boot

2434 NT MT EH

UPPER: Full Grain, Waterproof Blackened Taos Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 687
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: D 7-12,13,14,15 EE 7-12,13,14,15 H 8-12,13

SOLE RESISTANCE CHART

Dual Density GripTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING SUPERSOLE® Men's 8-inch Boot

4435 ST MT EH

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 694
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

RED WING FLEXBOND Men's 8-inch Boot

4422 NT MT EH

UPPER: Full Grain Crazyhorse Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: CH-691
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: D 8-12,13,14 EE 8-12,13

SOLE RESISTANCE CHART

Rubber-PU Auger

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

RED WING TRUWELT Men's 8-inch Boot

4492 ST MT EH

UPPER: Full Grain Brown Overtime Leather
SHANK: Fiberglass
LAST: 522
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14

SOLE RESISTANCE CHART

Decathlon

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN THE USA

RED WING TRUWELT Men's 10-inch Boot

4489 ST MT EH

UPPER: Full Grain, Waterproof Gaucho Yuma Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Steel
LAST: 694
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: D 7-12,13,14,15 EE 8-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

Vibram® Montana

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

RED WING TRUWELT Men's 10-inch Boot

4499 ST MT EH

UPPER: Full Grain, Waterproof Gaucho Yuma Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Steel
LAST: 694
CONSTRUCTION: Goodyear Leather Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: D 7-12,13,14,15,16 EE 8-12,13,14

SOLE RESISTANCE CHART

Vibram® Montana

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING SUPERSOLE® Men's 11-inch Pull-On Boot

4436 ST MT EH

UPPER: Full Grain, Waterproof Dark Brown Gambler Leather
FOOTBED: Redbed™ featuring Agion® anti-microbial treatment
SHANK: Fiberglass
LAST: 696
CONSTRUCTION: SuperSole® Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: B 10-12,13,14 D 7-12,13,14,15 EE 7-12,13,14 H 8-12,13

SOLE RESISTANCE CHART

Horizon™ DL SuperSole®

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN THE USA W/IMPORTED MATERIALS

IRISH SETTER WORK KASOTA Men's 6-inch Boot

83644 NT MT EH

UPPER: Full Grain, Waterproof Leather and Abrasion Resistant Synthetic
FOOTBED: Removable Memory Foam-EVA
SHANK: Nylon
LAST: 882
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: D 8-12,13,14 EE 8-12,13,14

SOLE RESISTANCE CHART

TriTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK RAMSEY 2.0 Men's 6-inch Boot

83650 AT MT EH

UPPER: USA Made Full Grain, Waterproof Hazelnut Voyageur Leather
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 702-3E-2
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: D 6-12,13,14,15 EE 7-12,13,14

SOLE RESISTANCE CHART

Rubber-PU Comfort Trek

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Better
Heat	Better
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK MARSHALL Men's 11-inch Pull-On Boot

83954 ST MT EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-435
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: D 8-12,13,14 EE 8-12,13

ULTRA DRY RPM TECHNOLOGY

SOLE RESISTANCE CHART

Rubber-RPM Roper

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

WORX CARBIDE Men's Hiker Boot

5421 ST MT EH

UPPER: Full Grain Leather and Abrasion Resistant Mesh
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: M 7-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

ProTred I-O

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX IRON Men's 5-inch Boot

5584 ST MT EH

UPPER: Nubuck Dark Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: M 4-12,13,14,15,16 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

Rubber-PU Falcon

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	No

MADE IN CAMBODIA

WORX IRON Men's 5-inch Boot

5601 NT MT EH

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: M 4-12,13,14 WW 8-12,13,14

HRO

SOLE RESISTANCE CHART

Rubber-PU Falcon

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	No

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

WORX I-BEAM Men's 6-inch Boot

5610 ST MT EH

UPPER: Full Grain Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 800
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: M 4-12,13,14,15,16 WW 8-12,13,14

GOODHUE KING TOE

SOLE RESISTANCE CHART

ENDURANCE Cross Wire

Slip	Good
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

WORX TACONITE Men's 6-inch Boot

5486 ST MT EH

UPPER: Full Grain Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 703
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: M 7-12,13,14 WW 8-12,13

HRO

SOLE RESISTANCE CHART

Rubber Resister

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX TACONITE Men's 6-inch Boot

5613 ST MT EH

UPPER: Full Grain Black Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 800
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: M 7-12,13,14 WW 8-12,13,14

GOODHUE KING TOE HRO

SOLE RESISTANCE CHART

Rubber Resister

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX TACONITE Men's 6-inch Boot

5626 ST MT EH

UPPER: Full Grain Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 703
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: M 6-12,13,14 WW 8-12,13

HRO

SOLE RESISTANCE CHART

Rubber Resister

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX TACONITE Men's 8-inch Boot

5918 ST MT EH

UPPER: Full Grain Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 800
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, Mt EH PR, CSA Grade 1, ESR Rated, PR
SIZES: M 7-12,13,14 WW 8-12,13,14

GOODHUE KING TOE SWEN-FLEX HRO

SOLE RESISTANCE CHART

Rubber Resister

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX TACONITE Men's 8-inch Boot

5489 ST MT EH

UPPER: Full Grain Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 703
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: M 8-12,13,14 WW 8-12,13

HRO

SOLE RESISTANCE CHART

Rubber Resister

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX TACONITE Men's 10-inch Pull-On Boot

5829 ST MT EH

UPPER: Full Grain Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 702-2
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, M/I/C, Mt EH
SIZES: M 7-12,13,14 W 7-12,13

HRO

SOLE RESISTANCE CHART

Rubber Resister

Slip	Best
Oil/Gas	Best
Chemicals	Better
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

— 65 STYLES —

WOMEN'S

Footwear that's as tough as it gets and designed specifically for women.

RED WING COMFORTPRO Women's Slip-On

2308 NT SD

UPPER: Full Grain Nutmeg Frisco Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 302
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, SD 35
SIZES: B 5-10,11 D 5-10 EE 5-10

HRO

SOLE RESISTANCE CHART

Dual Density BLVD

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

RED WING ZERO-G LITE Women's Slip-On

2033 AT EH

UPPER: Nubuck Leather
FOOTBED: Fabric Covered EVA
LAST: 208AT
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 6-10,11 D 6-10,11

EXTRALIGHT®

SOLE RESISTANCE CHART

X-Lite Surge

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN VIETNAM

RED WING ATHLETICS Women's Athletic

2338 AT EH

UPPER: Abrasion Resistant Mono-Mesh
FOOTBED: Nylon Covered Open Cell Foam
SHANK: Nylon
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 6-10,11 D 6-10,11

HRO

SOLE RESISTANCE CHART

Rubber-EVA Stealth

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING ATHLETICS Women's Athletic
2339 AT EH

UPPER: Abrasion Resistant Mono-Mesh
FOOTBED: Nylon Covered Open Cell Foam
SHANK: Nylon
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 6-10,11 D 6-10,11

HRI

SOLE RESISTANCE CHART

Rubber-EVA Stealth

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING COMFORTPRO Women's Oxford
2307 NT SD

UPPER: Full Grain Sage Rosseto Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 302
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, SD 35
SIZES: B 5-10,11 D 5-10 EE 5-10

HRI

SOLE RESISTANCE CHART

Dual Density BLVD

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING COMFORTPRO Women's Oxford
2309 NT SD

UPPER: Full Grain Nutmeg Frisco Leather
FOOTBED: Nylon Covered Polyurethane SD
SHANK: Non-metallic
LAST: 302
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, SD 35
SIZES: B 5-10,11 D 5-10 EE 5-10

HRI

SOLE RESISTANCE CHART

Dual Density BLVD

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

RED WING COOLTECH™ ATHLETICS Women's Athletic
2343 NT EH

UPPER: Abrasion Resistant Mesh
FOOTBED: Fabric Covered EVA
LAST: 307
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 6-10,11 D 6-10,11

CROSSBREEZE HRI Vibram

SOLE RESISTANCE CHART

Vibram® SpeedSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

RED WING COOLTECH™ ATHLETICS Women's Athletic

2348 NT EH

UPPER: Abrasion Resistant Mesh
FOOTBED: Fabric Covered EVA
LAST: 307
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 6-10,11 D 6-10,11

CROSSBREEZE HRO vibram

SOLE RESISTANCE CHART

Vibram® SpeedSole

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

RED WING ZERO-G LITE Women's Chukka

2035 AT SD

UPPER: Full Grain Leather and Nubuck
FOOTBED: Fabric Covered EVA
LAST: 208AT
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, SD 35
SIZES: B 6-10,11 D 6-10,11

EXTRALIGHT®

SOLE RESISTANCE CHART

X-Lite Surge

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN VIETNAM

RED WING FLEXBOND Women's 5-inch Boot

2327 ST EH

UPPER: Full Grain, Waterproof Spice Tramper Leather
FOOTBED: Cambrelle® Covered Polyurethane
SHANK: Non-metallic
LAST: 691
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 6-10,11 D 6-10

RW WATER PROOF

SOLE RESISTANCE CHART

PU Cascade I

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

RED WING KING TOE® Women's 5-inch Boot

2340 NT EH

UPPER: Full Grain, Waterproof Hazelnut Tramper Leather
FOOTBED: Nylon Covered Polyurethane
SHANK: Non-metallic
LAST: 800
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 5-10,11 D 5-10 EE 6-10

RW WATER PROOF R|W LEATHER KING TOE®

SOLE RESISTANCE CHART

TPU-PU Galaxy

Slip	Better
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

RED WING TRADESWOMAN Women's 5-Inch Hiker Boot

2328 NT EH

UPPER: Nubuck, Waterproof Leather and Abrasion Resistant Mesh
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: 601-W
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 6-10,11 D 6-10,11

RW WATERPROOF HRO

SOLE RESISTANCE CHART

VersaTrax

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

NEW

Available Fall 2020

RED WING ZERO-G LITE Women's 5-inch Boot

2036 AT EH

UPPER: Full Grain Leather and Nubuck
FOOTBED: Fabric Covered EVA
LAST: 208AT
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 6-10,11 D 6-10,11

EXTRALIGHT

SOLE RESISTANCE CHART

X-Lite Surge

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

RED WING ZERO-G LITE Women's 5-inch Boot

2030 AT EH

UPPER: Full Grain Leather
FOOTBED: Fabric Covered EVA
LAST: 208AT
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 6-10,11 D 6-10,11

EXTRALIGHT

SOLE RESISTANCE CHART

X-Lite Surge

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Better
Heat	Good
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

RED WING TRADESWOMAN Women's 6-inch Boot

3542 NT EH

UPPER: Nubuck, Waterproof Leather and Abrasion Resistant Mesh
FOOTBED: Removable Polyurethane
LAST: 601-W
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, F/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: B 6-10,11 D 6-10,11

RW WATERPROOF HRO

SOLE RESISTANCE CHART

VersaTrax

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

RED WING BRNR XP Women's 6-inch Boot

2347 NT EH

UPPER: Full Grain, Waterproof Blackened Taos Leather
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 710
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 6-10,11 D 6-10,11

RW WATERPROOF · R|W LEATHER · FORCE GUARD · HRO

SOLE RESISTANCE CHART

Dual Density GripTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

RED WING TRADESWOMAN Women's 6-inch Boot

2345 NT EH

UPPER: Full Grain, Waterproof Leather and Abrasion Resistant Mesh
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: 601-W
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 6-10,11 D 6-10,11

RW WATERPROOF · HRO

SOLE RESISTANCE CHART

VersaTrax

Slip	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

RED WING TRADESWOMAN Women's 6-inch Boot

2346 NT EH

UPPER: Nubuck, Waterproof Leather and Abrasion Resistant Mesh
FOOTBED: Removable Polyurethane
SHANK: Nylon
LAST: 601-W
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 6-10,11 D 6-10,11

RW WATERPROOF · HRO

SOLE RESISTANCE CHART

VersaTrax

Slip	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CHINA

NEW

Available Spring 2020

RED WING BRNR XP Women's 8-inch Boot

3554 NT EH

UPPER: Full Grain, Waterproof Blackened Taos Leather and Abrasion Resistant Mesh
FOOTBED: Quadrex V2 Multi-Layer System
SHANK: Fiberglass
LAST: 710
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, F/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: B 6-10,11 D 6-10,11

RW WATERPROOF · R|W LEATHER · FORCE GUARD · SWEN-FLEX · HRO

SOLE RESISTANCE CHART

Dual Density GripTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

ASSEMBLED IN THE USA W/IMPORTED COMPONENTS

PR Puncture Resistant / Resistente a las Perforaciones
MT Metatarsal Guard / Protector del Metatarso
EH Electrical Hazard / Peligro Eléctrico
SD Static-Dissipative / Disipador de Estática

1.800.239.1064
redwingsafety.com

Return to Table of Contents

IRISH SETTER WORK **ROCKFORD Women's** Oxford

83234 NT EH

UPPER: Polyurethane Coated Split, Waterproof Leather and Abrasion Resistant Mesh
FOOTBED: Removable Memory Foam-EVA
LAST: IS-157
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 5-10,11 D 6-10

ULTRA DRY CUSHIN HRO ENERG

SOLE RESISTANCE CHART

G3

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **CROSBY Women's** 4-inch Hiker Boot

83224 NT EH

UPPER: Full Grain, Waterproof Leather and Abrasion Resistant Mesh
FOOTBED: Removable Memory Foam-EVA
SHANK: Nylon
LAST: L157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-11, F/I/75/C/75, EH
SIZES: B 5-10,11 D 6-10

ULTRA DRY CUSHIN ARMATEC HRO ENERG STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **CROSBY Women's** 4-inch Hiker Boot

83212 NT EH

UPPER: Full Grain, Waterproof Leather and Abrasion Resistant Mesh
FOOTBED: Removable Memory Foam-EVA
SHANK: Nylon
LAST: L157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 5-10,11 D 6-10

ULTRA DRY CUSHIN ARMATEC HRO ENERG STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **ROCKFORD Women's** 5-inch Hiker Boot

83232 NT EH

UPPER: Polyurethane Coated Split, Waterproof Leather and Abrasion Resistant Mesh
FOOTBED: Removable Memory Foam-EVA
LAST: IS-157
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 5-10,11 D 6-10

ULTRA DRY CUSHIN HRO ENERG

SOLE RESISTANCE CHART

G3

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

IRISH SETTER WORK **CROSBY Women's** 6-inch Boot

83216 NT EH

UPPER: Full Grain, Waterproof
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: L157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, F/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: B 5-10,11 D 6-10

ULTRA DRY CUSHIN ARMA TEC SWEN-FLEX HRO ENERG STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **CROSBY Women's** 6-inch Boot

83214 NT EH

UPPER: Full Grain, Waterproof and Gray Leather
FOOTBED: Removable Memory Foam-EVA
SHANK: Nylon
LAST: L157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 5-10,11 D 6-10

ULTRA DRY CUSHIN ARMA TEC HRO RPM TECHNOLOGY ENERG STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **KASOTA Women's** 6-inch Boot

83228 NT EH

UPPER: Full Grain, Waterproof Leather and Abrasion Resistant Synthetic
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: 882-W
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 5-10,11 D 6-10

ULTRA DRY CUSHIN ARMA TEC HRO ENERG

SOLE RESISTANCE CHART

TriTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK **KASOTA Women's** 6-inch Boot

83230 NT EH

UPPER: Full Grain, Waterproof Leather and Abrasion Resistant Synthetic
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: 882-W
CONSTRUCTION: Direct Attach

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 5-10,11 D 6-10

ULTRA DRY CUSHIN HRO ENERG

SOLE RESISTANCE CHART

TriTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

IRISH SETTER WORK **CROSBY Women's** 8-inch Boot

83218 NT EH

UPPER: Full Grain, Waterproof Leather and Abrasion Resistant Nylon
FOOTBED: Removable Memory Foam-EVA
SHANK: Non-metallic
LAST: L157
CONSTRUCTION: Cement to Welt

RATING: ASTM F2413-18, F/I/C, EH PR, CSA Grade 1, ESR Rated, PR
SIZES: B 5-10,11 D 6-10

ULTRA DRY · CUSHIN · ARMA TEC · SWEN-FLEX · HRO · ENERGY · STABLE FLEX

SOLE RESISTANCE CHART

Rubber Diamond Tred

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **MESABI Women's** 8-inch Logger Boot

83236 ST PR EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable EVA
SHANK: Steel
LAST: 631
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, F/I/C, EH PR
SIZES: B 5-10,11 D 6-10

ULTRA DRY · SWEN-FLEX · HRO

SOLE RESISTANCE CHART

Stars and Bars Logger

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **MARSHALL Women's** 9-inch Pull-On Boot

83206 ST EH

UPPER: Full Grain, Waterproof Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: IS-518
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 5-10,11 D 6-10

ULTRA DRY · HRO · RPM TECHNOLOGY

SOLE RESISTANCE CHART

Rubber-RPM Roper

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

IRISH SETTER WORK **WALKER Women's** 9-inch Pull-On Boot

83226 ST EH

UPPER: Full Grain Leather
FOOTBED: Removable EVA
SHANK: Steel
LAST: IS-518
CONSTRUCTION: Goodyear Welt

RATING: ASTM F2413-18, F/I/C, EH
SIZES: B 5-10,11 D 6-10

HRO

SOLE RESISTANCE CHART

Dynamite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero · AT Aluminum Toe / Puntera de Aluminio · NT Non-Metallic Toe / Puntera No Metálica · Waterproof / Impermeable · Insulated / Con Aislamiento

Return to Table of Contents

NEW

Available Fall 2020

WORX ZINC Women's Slip-On

5143 ST EH

UPPER: Full Grain Leather
FOOTBED: Removable Polyurethane
LAST: 207JV
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10,11

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Channel

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX CARBIDE Women's Athletic

5108 AT EH

UPPER: Synthetic Leather and Nylon Mesh
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 228
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11 W 6-10

SOLE RESISTANCE CHART

Rubber-EVA Viper

Slip	Best
Oil/Gas	Good
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	No

MADE IN VIETNAM

WORX CARBIDE Women's Athletic

5137 AT EH

UPPER: Polyurethane Coated Split Leather
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10

HRO

SOLE RESISTANCE CHART

ProTred I-0

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

WORX CARBIDE Women's Oxford

5158 ST EH

UPPER: Suede Leather
FOOTBED: Removable PU with Added Foam
SHANK: Nylon
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10,11

SOLE RESISTANCE CHART

ProTred I-0

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Fall 2020

WORX CARBIDE Women's Oxford

5157 ST EH

UPPER: Suede Leather
FOOTBED: Removable PU with Added Foam
SHANK: Nylon
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10,11

SOLE RESISTANCE CHART

ProTred I-O

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX LITHIUM Women's Athletic

5133 AT EH

UPPER: Abrasion Resistant Nylon
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10

HRO

SOLE RESISTANCE CHART

ViperLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX LITHIUM Women's Athletic

5134 AT SD

UPPER: Abrasion Resistant Nylon
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, SD 35
SIZES: M 5-10,11,12 W 6-10

HRO

SOLE RESISTANCE CHART

ViperLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX LITHIUM Women's Athletic

5140 AT EH

UPPER: Abrasion Resistant Nylon
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10

HRO

SOLE RESISTANCE CHART

ViperLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

WORX LITHIUM Women's Athletic

5141 AT EH

UPPER: Abrasion Resistant Nylon
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10

HRI

SOLE RESISTANCE CHART

ViperLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX NITRO Women's Oxford

5146 ST EH

UPPER: Full Grain Leather
FOOTBED: Removable Polyurethane
LAST: 207JV
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10,11

SOLE RESISTANCE CHART

GumTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

NEW

Available Fall 2020

WORX NITRO Women's Oxford

5132 ST SD

UPPER: Full Grain Leather
FOOTBED: Removable Polyurethane
LAST: 207JV
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, SD 35
SIZES: M 5-10,11,12 W 6-10,11

SOLE RESISTANCE CHART

GumTek

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX STAINLESS Women's Oxford

6553 NT EH

UPPER: Polyurethane Coated and Black Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 6-10,11 WW 6-10

SOLE RESISTANCE CHART

SSRT Diamond

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Good
Non-Marking	Yes

MADE IN CAMBODIA

WORX STAINLESS Women's Oxford

5118 ST SD

UPPER: Full Grain and Black Leather
FOOTBED: Removable Polyurethane-SD
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, SD 35
SIZES: M 5-10,11 W 6-10

HRO

SOLE RESISTANCE CHART

Rubber-EVA Motility

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX STAINLESS Women's Oxford

5135 NT EH 6105 EH

UPPER: Polyurethane Coated Split
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: (5135) 882-W (6105) 882-W
CONSTRUCTION: Cement

RATING: (5135) ASTM F2413-18, F/I/C, EH (6105) ASTM F2892-18, EH
SIZES: (5135) M 5-10,11,12 WW 6-10
SIZES: (6105) M 5-10,11,12 WW 6-10

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Dual Grip I-O

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX ZINC Women's Oxford

5123 ST EH 6113 EH

UPPER: Full Grain and Black Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: (5123) JVC2-914 (6113) JVC2-914
CONSTRUCTION: Cement

RATING: (5123) ASTM F2413-11, F/I/75/C/75, EH (6113) ASTM F2892-11, EH
SIZES: (5123) M 5-10,11 W 6-10
SIZES: (6113) M 5-10,11 W 6-10

HRO StarGrip

SOLE RESISTANCE CHART

WOTF StarGrip®

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

NEW

Available Fall 2020

WORX ZINC Women's Oxford

5145 ST SD

UPPER: Full Grain
FOOTBED: Removable Polyurethane
LAST: 207JV
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, SD 35
SIZES: M 5-10,11,12 W 6-10,11

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Channel

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe Puntera de Acero
AT Aluminum Toe Puntera de Aluminio
NT Non-Metallic Toe Puntera No Metálica
Waterproof Impermeable
Insulated Con Aislamiento

Return to Table of Contents

NEW

Available Fall 2020

WORX ZINC Women's Oxford

5144 ST EH

UPPER: Full Grain
FOOTBED: Removable Polyurethane
LAST: 207JV
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10,11

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Channel

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX STAINLESS Women's Chukka

5136 NT EH

UPPER: Polyurethane Coated Split
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 882-W
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 WW 6-10

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Dual Grip I-O

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX ZINC Women's Chukka

5120 ST EH

UPPER: Full Grain and Brown Leather
FOOTBED: Removable Memory Foam-EVA
SHANK: Steel
LAST: 631
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11 W 6-10

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Dual Zone

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX ZINC Women's Chukka

5124 ST EH

UPPER: Suede and Green Leather
FOOTBED: Removable Memory Foam-EVA
SHANK: Steel
LAST: 631
CONSTRUCTION: Cement

RATING: ASTM F2413-11, F/I/75/C/75, EH
SIZES: M 5-10,11 W 6-10

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Dual Zone

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

NEW

Available Spring 2020

WORX ZINC Women's Chelsea

5156 ST EH

UPPER: Full Grain
FOOTBED: Removable Memory Foam-EVA
SHANK: Steel
LAST: 631
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10,11

HRO StarGrip

SOLE RESISTANCE CHART

StarGrip® Dual Zone

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX CARBIDE Women's 5-inch Hiker Boot

5454 AT EH

UPPER: Suede
FOOTBED: Removable PU with Added Foam
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10

HRO

SOLE RESISTANCE CHART

ProTred I-O

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX BRONZE Women's 5-inch Hiker Boot

5116 NT EH

UPPER: Full Grain and Black Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: W882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11 W 6-10

HRO

SOLE RESISTANCE CHART

Ascend

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX BRONZE Women's 5-inch Hiker Boot

5117 NT EH

UPPER: Full Grain and Gray Leather and Abrasion Resistant Synthetic
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: W882
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11 W 6-10

HRO

SOLE RESISTANCE CHART

Ascend

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

WORX COBALT Women's 5-inch Hiker Boot

5119 ST MT EH

UPPER: Full Grain and Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: 882
CONSTRUCTION: Cement

RATING: ASTM F2413-11, F/I/75/C/75, Mt/75 EH
SIZES: M 5-10,11 W 6-10

HRO

SOLE RESISTANCE CHART

Rubber-PU Talon

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

NEW

WORX CARBIDE Women's Hiker Boot

5152 ST MT EH

UPPER: Full Grain Leather and Abrasion Resistant Mesh
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, Mt EH
SIZES: M 5-10,11,12 W 6-10,11

HRO

SOLE RESISTANCE CHART

ProTred I-0

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX TALUS Women's 6-inch Boot

5128 ST EH

UPPER: Suede, Waterproof and Black Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: W156
CONSTRUCTION: Stitchdown-Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10,11

HRO

SOLE RESISTANCE CHART

Rubber ComfortFlex

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX GRAVEL Women's 6-inch Boot

5122 ST EH

UPPER: Full Grain and Black Leather
FOOTBED: Removable Polyurethane
SHANK: Steel
LAST: 702-3E-2
CONSTRUCTION: Direct Attach to Welt

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11 WW 6-10

StarGrip

SOLE RESISTANCE CHART

StarGrip® Women's

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Better
Non-Marking	Yes

MADE IN CAMBODIA

WORX LITHIUM Women's 6-inch Boot

5154 ST EH

UPPER: Polyurethane Coated
FOOTBED: Removable PU with Added Foom
LAST: 305
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10,11

HRI

SOLE RESISTANCE CHART

ViperLite

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

WORX STAINLESS Women's 6-inch Boot

5102 NT EH

UPPER: Polyurethane Coated and Black Leather
FOOTBED: Removable PU with Added Foam
SHANK: Non-metallic
LAST: 882-W
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 WW 6-10

HRI StarGrip

SOLE RESISTANCE CHART

StarGrip® Dual Grip I-O

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX TALUS Women's 6-inch Boot

5131 ST EH

UPPER: Suede and Brown Leather
FOOTBED: Removable Polyurethane
SHANK: Non-metallic
LAST: W156
CONSTRUCTION: Stitchdown-Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11,12 W 6-10,11

HRI

SOLE RESISTANCE CHART

Rubber ComfortFlex

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN CAMBODIA

WORX ZINC Women's 6-inch Boot

5126 ST EH

UPPER: Full Grain and Black Leather
FOOTBED: Removable Memory Foam-EVA
SHANK: Steel
LAST: 631
CONSTRUCTION: Cement

RATING: ASTM F2413-18, F/I/C, EH
SIZES: M 5-10,11 W 6-10

HRI StarGrip

SOLE RESISTANCE CHART

StarGrip® Dual Zone

Slip	Best
Oil/Gas	Best
Chemicals	Best
Abrasions	Best
Heat	Best
Non-Marking	Yes

MADE IN VIETNAM

ST Steel Toe / Puntera de Acero
AT Aluminum Toe / Puntera de Aluminio
NT Non-Metallic Toe / Puntera No Metálica
Waterproof / Impermeable
Insulated / Con Aislamiento

Return to Table of Contents

FILTER YOUR OPTIONS ONLINE

Browse all non-metallic, puncture resistant, uniform, USA-made styles and more.

See them all rwsc.co/catalog



Red Wing Technology Reference

DEVELOPING PURPOSE-BUILT WORK BOOTS TO PROTECT WORKERS

Red Wing work footwear is renowned for leading-edge technologies that ensure premium performance for the life of the product. These technologies ensure comfortable protection for modern craftsmen.

UPPER TECHNOLOGY

Armatec™
Added protection for durability

This technology is a protective covering that is incredibly tough and abrasion resistant. Placement of ArmaTec in high wear areas helps preserve and lengthen the life of a boot.

ArmaTec™ XT

Many times more abrasion-resistant than ArmaTec™, this specially formulated new compound delivers an extremely durable layer of extra protection. Placement of ArmaTec™ in high wear areas helps preserve and lengthen the life of the boots.

Boa® Lacing System
Revolutionary closure system

Boa® technology makes getting in and out of lace-up boots faster and easier than ever. Turn the dial to tighten laces to the perfect tension, with no pressure points. One click of the reel releases the laces instantly.

Quick on and off convenience

CSA Grade 1 Protective Toe Label
Canadian Standards Association approval.

Refers to the Canadian Standards Association's (CSA) approval (CAN/CSA-Z195-09) for protective footwear. (protective toe only)

Cushin
Comfort tongue technology

Minimizes pressure some workers feel on their shin or ankle from the top of the boot tongue. A four-way stretch nylon offers relief and flexibility while walking, and an internal padded waffle mesh maintains premium comfort.

Minimizes pressure on shin

DYNAMIC FIT SYSTEM
Locks in foot with room to move.

This purposeful innovation for pull-on boots is designed to lock the foot in place with side stretch panels that allow for flexible and comfortable movement throughout the day. The stretch panels subtly yield to the pressure of the foot inside the boot, expanding just enough to allow the boot to slip on for easy entry and easy exit.

Side stretch panels allow for flexible movement

ExoFlex®
Easy on/off, locked in fit

Patent-pending, ExoFlex® technology allows the boot to expand to accommodate the back of your foot. And then once you're in, it contracts for a lock-tight, high-performance fit that provides toe spring and agility in every stride.

ForceGuard™
Added protection for durability

This technology is a protective covering that provides long-wearing abrasion, oil and chemical resistance on critical areas of the boot.

Rubber covering for durability

ForceShield™
Flexible impact absorption

A revolutionary thin, soft material that offers amazing impact absorption yet it is flexible and comfortable. ForceShield provides protection from dangerous workplace drop and impact hazards while meeting ASTM standards.



Force from impact is dissipated

Goodhue Leather
Consistent, durable leather from S.B. Foot Tanning Co.

Handcrafted, full grain leather manufactured by our S.B. Foot Tanning Company in Red Wing, Minnesota. Goodhue Leather is crafted using time-proven techniques, to yield the right color, consistency and durability.

InJex™
Injected polyurethane material

InJex™ injected polyurethane is a lightweight material specially formulated to provide excellent cushioning, flexibility, durability and support. It resists corrosive fluids, hazardous chemicals and other wet environments that can wreak havoc on traditional rubber boots.

Extreme durability with special bellows design allows easy access and secure fit

King Toe®
More toe room

Larger toe box provides 44% more toe room and comfort than our standard work boots.

44% more toe room

Realtree Xtra® Camouflage

This camo pattern works in any hunting situation with depth and lifelike images.

Red Wing Leather
Handcrafted leather from S.B. Foot Tanning Co.

Starting with hides from U.S. raised cattle with minimal surface imperfections, we control every step of the process, using time-honored techniques to craft leather with natural beauty and unmatched durability.

SCREENSHIELD
Lightweight abrasion resistance.

A thin but highly durable rubber coating for the toe and other high-wear areas of a work boot that enhances durability with minimal weight.


Thin coating provides durability.

SWITCHBACK SUPPORT SYSTEM
Less weight, superior performance.

Built with an integrated TPU-cord construction, this next-generation upper design approach incorporates an innovative "switchback" technique that requires less material and relies on fewer leather overlaps than a traditional work boot. The end result is greatly reduced weight without sacrificing support, comfort or durability.

Lightweight TPU-cord provides support and durability.

Trout Brook Leather
Handcrafted leather from S.B. Foot Tanning Co.

Starting with hides from U.S. raised cattle with minimal surface imperfections, we control every step of the process, using time-honored techniques to craft leather with natural beauty and unmatched durability.

LINING TECHNOLOGY

Blood-borne Pathogen Protection
Provides resistance to penetration of blood-borne pathogens

Incorporates a waterproof membrane that is highly breathable. In addition, the membrane has been shown to provide resistance to penetration of blood-borne pathogens per ASTM F1671. However, no product offers total protection. In spite of the high quality standards to which this footwear and the membrane are produced, the barrier properties can be compromised by many factors, including wear, tears, delamination, sewing or imperfect seams.

Under no circumstances will Red Wing Shoe Company, Inc., or the manufacturer of the membrane, be responsible for damages arising from the use of this product.

PrimaLoft® Insulation

Designed for repeated compression and durability over time. Featuring 90% post-consumer recycled fibers made from plastic bottles, this unique low-bulk construction maintains loft and traps body heat even when compressed. Coupled with a permanent water repellent treatment with high-density construction, this insulation keeps feet warm in dry or wet conditions.

Red Wing Waterproof
3-layers for waterproof protection

This system uses a 3-layer approach to keep feet dry. 1 - Linings help move moisture away from the foot to keep it dry. 2 - Foam provides cushioning and a comfortable fit. 3 - A waterproof bootie is a barrier to keep water out. Tricot, a protective material, is applied to the outside of the bootie to ensure a complete waterproof system.

Perspiration moves away from the foot while water stays out.

COSMOCOMFORT
Keeps feet warm, dry and comfortable

This technology provides the equivalent of 400 grams of insulation without the weight, thickness or bulk. A revolutionary manufacturing process transfers aluminum from a solid to a gas and back to a solid again, producing an extremely lightweight and paper-thin material with superior insulation, waterproofing and windproofing properties, plus exceptional breathability.

Return to Table of Contents

CROSSBREEZE
Instant cooling system

Mesh lining and insole top fabric work together to move heat away

CrossBreeze technology moves heat away from the skin above, around and below the foot, creating an instant cooling effect.

Gore-Tex Waterproof Membrane
Prevents water getting in, while perspiration moves out

Red Wing uses GORE-TEX for the ultimate in comfort and protection. The GORE-TEX membrane blocks moisture from the outside, while allowing moisture inside to evaporate. GORE-TEX has over 9 billion pores per square inch that prevent water from getting to your feet while allowing sweat vapor to pass right through, keeping your feet dry and comfortable in all conditions.

ScentBan™

An Irish Setter exclusive scent control process, ScentBan™ is added to various materials from leathers to linings to footbeds, killing bacteria that cause odors.

3M™ Thinsulate™ Insulation
Insulation for active feet

Insulation for footwear that is thin, warm and lightweight, with the versatility to be worn outside and inside, to work and at work, keeping active feet comfortable even in damp conditions.

3M™ Thinsulate™ Insulation
The ultimate insulation for long hours

The ultimate insulation for cold weather boots, 3M™ Thinsulate™ Ultra Insulation is thin, warm and lightweight, with the durability to withstand long hours of hard wear and keep feet warm even in damp conditions.

UltraDry™ Waterproofing System

Our UltraDry™ construction combines a moisture management lining with waterproof components for dry, long-lasting comfort and performance.

INSOLE TECHNOLOGY

ComfortForce®
Removable footbed

Provides extra comfort

This removable footbed features unique Venturi air perforations to help keep feet cool and dry all day. The special weave pattern helps channel the energy caused by walking, and the arch is curved to add extra comfort.

CSA Grade 1 & ESR Classification
Canadian Standards Association approval.

Refers to the Canadian Standards Association's (CSA) approval (CAN/CSA-Z195-09) for protective footwear.

DynaForce®
Reduces underfoot pressure



Absorbs pressure, provides support

A built-in insole system that absorbs pressure and provides overall support, stability and comfort. This innovative technology dramatically reduces underfoot pressure, and blocks painful pressure points by redistributing them evenly across the foot while minimizing shock.

StableFlex™

This technology combines increased flexibility in the forefoot with a stable platform in the heel. Our superior dual-construction process incorporates a welted heel for extra stability, with cement construction in the forefoot for added flexibility and a comfortable fit.

FlexForce®
Flexible forefoot, stable heel

This technology combines increased flexibility in the forefoot with a stable platform in the heel. A superior dual-construction process incorporates a welted heel for extra stability, with flexible cement construction in the forefoot for added cushion and a comfortable fit. Elements from our exclusive DynaForce® insole are built in to reduce underfoot pressure.



RW RedBed™
4-layer underfoot comfort system

Advanced comfort via 4-layer construction of a moisture managing fabric cover, impact absorbing urethane foam, heel and motion wrap-around stabilizer and heel strike gel elastomer cushion pad. Also features perforated ventilation, instep supporting columns, longitudinal arch support and engineered heel wall geometry for upper heel strike control.

SWEN-FLEX®
Non-metallic, puncture-resistant insoles

These non-metallic, puncture-resistant insoles are manufactured from high-strength, woven fibres. They meet or exceed all world standards for puncture resistance, including CSA, ASTM and EN.

SOLE TECHNOLOGY

ENERG

The best upper on the planet is worthless if the outsole can't provide the traction, comfort and durability required for working and hunting. Irish Setter outsoles are the best in the business.

This exclusive technology offers energy return with every step.

EXTRALIGHT® SOLE COMPOUND

Performance without the weight.

Made with a special blown EVA compound, ExtraLight® technology produces an incredibly lightweight and durable outsole that provides excellent compression qualities, is highly slip resistant, and offers best-in-class oil and chemical resistance.

X-Lite Sole

Heat-resistant Outsoles

Performance on hot surfaces

Soles that have been designed and tested to perform on high heat surfaces. Soles identified as HRO are heat resistant to melting at a minimum of 475° Fahrenheit.

Durable sole resists melting.

RPM™ Technology

A breakthrough composite material that significantly reduces the weight of the boot, providing extreme comfort and added endurance. Engineered to provide the durability and strength of traditional materials without the extra weight.

WORX® StarGrip® Sole

Superior slip-resistance

StarGrip® Technology features an 8-sided design and a unique concave shape of the star pad sole, allowing it to act like a mini suction cup to provide greater grip of the surface.



Unique Concave Shape

SuperSole® 2.0

Comfort inside. Durable outside.

Dual density urethane sole designed with inner sole to provide cushion and comfort, and outer sole to provide durability and protection. This premium sole not only provides top performance in traction, abrasion resistance, cut resistance, oil and chemical resistance, but also delivers maximum comfort.



Top performing premium sole.

SuperSole®

Comfort inside. Durable outside.

Single density urethane sole designed to provide durability and comfort. It delivers performance factors of abrasion resistance, cut resistance, traction, and oil and chemical resistance.

Mini Lug SuperSole®

Vibram®

Versatile, performance outsoles.

Exceptional design intersects with innovative rubber compounds to create versatile, performance outsoles. Vibram® outsoles offer excellent traction and high abrasion resistance in a multitude of environments.

Vibram® UltraSole

Vibram® LiteBase

Reduces weight but maintains performance.

This advanced technology reduces rubber thickness by up to 50% while keeping the lug configuration unchanged. The end result is an extremely lightweight sole with no tradeoffs in traction, durability or wear resistance.

Vibram® X-Treme Lite Sole

Footwear Size Comparison Chart for Most Common International Systems

Please note that there is no real standard for converting shoes.
Your best option is to have your foot measured professionally at a local shoe store and get the Men's and Women's sizes directly from the measurement device.

USA Men's			3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	13	14	15	16
USA Women's	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	12								
European	33.5	34	34.5	35	36	37	37.5	38	38.5	39	40	41	41.5	42	42.5	43	43.5	44	45	46	47	48	49	50
British	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	12	13	14	15
cm Men's			21.5	22	22.5	23	23.5	24	24.5	25	25.5	26	26.5	27	27.5	28	28.5	29	29.5	30	31	32	33	34
cm Women's	21	21.5	22	22.5	23	23.5	24	24.5	25	25.5	26	26.5	27	27.5	28	28.5								

Return to Table of Contents

WORK ENVIRONMENT HAZARDS

Every work environment exposes workers to different types of hazards. Each employer is required to perform a workplace assessment to determine the presence of work hazards and the need for personal protective equipment (PPE). In the case of foot injuries, common potential hazards include falling or rolling objects, electrical shock or piercing of footwear soles with sharp objects. There are countless situations and hazards that occur in the workplace everyday that can cause serious foot injury. The best protection from the work hazards that you can and cannot anticipate is quality PPE. For footwear, Red Wing Shoe Company is committed to providing quality, safety footwear for many types of workers and their working environments.

The footwear protection guidelines in this catalog were gathered to provide a general overview and quick comparison of global footwear safety standards. This information is not a definitive standard and we encourage you to refer to the official safety standard for clarification.

PROTECTION STANDARDS

Red Wing safety shoes and boots adhere to the most rigorous industry safety standards, regardless of how extreme the conditions. Workers the world over have come to depend on Red Wing boots as the standard in safety footwear performance. Two major governing bodies regulate safety standards in North America: ASTM and CSA.

ASTM International: ASTM plays a leadership role in setting safety standards for footwear and other products.
ASTM F2413-18: Standard Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear. Applies to the following hazards: I, C, Mt, Cd, EH, SD, PR
I/C: This protection signifies impact and compression resistance. It determines a shoe's capacity to protect the toe area against falling or rolling objects.
SD: There are three levels of SD protection - 10, 35 or 100.



Canadian Standards Association (CSA): CSA is a not-for-profit, membership-based association that develops Canadian standards to enhance public safety and health. The standard for foot protection is listed as CSA approved.
CSA Grade 1: Refers to the Canadian Standards Association's (CSA) approval (CAN/CSA-Z195-14) for protective footwear.

green tag

Green triangle indicates sole puncture protection with a Grade 1 protective toe cap.

blue tag

Blue rectangle indicates a Grade 1 protective toe cap without puncture resistant sole.

orange tag

Indicates soles that provide resistance to electrical shock. Under dry conditions, leakage current shall not exceed 1 mA when footwear is exposed to 18 kV at 60Hz for 1 minute.

ASTM F2892-18: Refers to the ASTM Standard Specification for Performance Requirements for Soft Toe Protective Footwear (Non-Safety/Non-Protective Toe). ASTM developed non-safety toe cap (soft toe) requirements to allow manufacturers to demonstrate the performance level of non-safety toe cap (soft toe) footwear. This specification covers minimum requirements for the performance of footwear to provide protection against a variety of workplace hazards other than the toe area that can potentially result in injury, for example, electrical hazard and static dissipative.

Conductive Footwear: Designed to dissipate static electricity from the body, through the shoes into grounded floors. Minimizes static electricity, which reduces the possibility of ignition of volatile chemicals or explosives. **WARNING:** Conductive footwear is not to be worn near open electrical circuits or highly charged objects of any kind requiring electrical hazard (non-conductive) footwear. Red Wing does not currently manufacture or market conductive footwear.

TOE PROTECTION

Heavy falling or dropped objects and vehicles in motion are work hazards your customers face every day. In many cases, employers require protective footwear; in other cases, it just makes good sense. Red Wing has three types of toe caps to choose from. All of Red Wing's safety toe footwear meets ASTM F2413-18, I/C standards for impact and compression.



Protection at toe area from drop hazards, rolling objects and crushing accidents.

ST **Steel Toe:** Made of one of the most durable and dependable materials on earth, steel toe caps provide ultimate protection for the most hazardous environments.

NANO
non-metallic toe

NT **Non-metallic Toe:** Made from varying combinations of nylon, plastic, and fiberglass, this toe cap provides the protection of a steel toe cap without the inconvenience of tripping metal detectors.

AT **Aluminum Toe:** Made from aluminum material, these caps are 31% lighter than steel while still meeting the same safety standards.

TESTING: Impact Resistance tests the shoe's capacity to protect the toe area of the foot against falling objects. For Impact testing, a weight is dropped onto the protective toe cap area of the footwear. The clearance remaining inside the cap after impact is then determined. Each standard identifies the atmospheric conditions of the test, the shape of the striker, the amount of weight and distance from which the weight must be dropped, the velocity of the drop and the impact energy delivered.

Left: The weight is dropped onto the protective toe cap area.



TESTING: Compression Resistance tests the shoe's capacity to protect the toe area of the foot against heavy rolling objects. For Compression testing, the toe cap area of the footwear is compressed between parallel platens at a given rate of speed until the required compressive force is reached. The clearance remaining inside the cap after the compression is then determined.

Left: The toe cap is being compressed between the parallel platens.

OTHER PROTECTION CHARACTERISTICS Red Wing designs and builds boots with protection for various applications, including Electrical Hazard, Static-Dissipative, Puncture Resistant, and Metatarsal Guard. All Red Wing safety footwear manufactured after 10/1/18 for use in North America meets ASTM F2413-18 standards.

PR PUNCTURE RESISTANT



Puncture Resistant standards for reducing the possibility of puncture wounds to the sole of the foot by penetrating objects. Footwear contains a puncture-resistant protective device, such as the midsole, that must be an integral part of the shoe to meet ASTM F2413-18. Must withstand a minimum force of not less than 270 pounds-force.

TESTING: Puncture resistant devices are tested using a sharp steel pin forced into the device at a given speed. The force required to puncture through the device is measured. The devices are also tested for flexibility and corrosion resistance.

Right: The steel pin is forced into the midsole to determine the amount of force required to puncture the material.

MT METATARSAL GUARD

Metatarsal Guard standards for protection of the upper foot and toe area. Developed to reduce or prevent injury to the wearer's metatarsal area (instep) and toes from "drop" hazards.

TESTING: For testing, a wax form is fit into the footwear and a weight is dropped onto the protected metatarsal area of the footwear, similar to the impact test. The height of the wax form after impact is then determined.

Right: The weight is dropped on the protected metatarsal area.

EH ELECTRICAL HAZARD

Electrical Hazard protective sole and heel. The sole construction of this footwear is designed to reduce hazards due to contact of the outsole with electrically energized parts, to provide a secondary source of protection. EH designates footwear that is designed to withstand 18,000 volts (rms) at 60Hz for one minute with no current flow or leakage in excess of 1.0 milliamperes (mA) under dry conditions.

WARNINGS: EH footwear is not to be worn near explosives or in other environments requiring conductive footwear. EH protection is severely deteriorated in the following conditions: excessive wear on the soling material or exposure to wet or humid environments or both.

TESTING: To test electric shock resistant properties, the footwear is placed on a metal mesh platform acting as a large electrode. The footwear is filled with small metal spheres and a second electrode is placed within the spheres. A specified high voltage is applied to the footwear through the metal platform for a given length of time. Resistance is determined by the current flow (or leakage) through the footwear.

Right: The boot is placed on the metal mesh platform. The gauges measure leakage through the footwear.

SD STATIC-DISSIPATIVE

Static-Dissipative standards for the reduction of the accumulation of excess static electricity by conducting the charge from the body to the ground, while maintaining electrical resistance from one of the three levels noted below:

- 10^6 ohms (1 megohm) to 10^7 ohms (10 megohms)
- 10^6 ohms (1 megohm) to 3.5×10^7 ohms (35 megohms)
- 10^6 ohms (1 megohm) to 10^8 ohms (100 megohms).

RECOMMENDED: Static-dissipative footwear should be worn only in clean environments and in conjunction with static-dissipative flooring.

TESTING: Test methods for Static Dissipation vary by standard, using either human subjects or metal spheres inside footwear that are placed on either a wet or dry base electrode plate. A specified voltage is applied for a prescribed time and the electrical resistance is measured. Test conditions also vary in specified atmospheric conditions.

Right: The tester steps on the base electrode plate while the electrical resistance is measured.

DISCLAIMER: Red Wing Shoe Company, Inc. and their agents expressly state that these descriptions do not represent the actual formal standard - it only provides a quick comparison and general descriptions of testing methods and requirements. Refer to the actual published standards for specific requirements.

This general standards reference guide does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of these standards to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

The standards are subject to revision at any time by the responsible technical committee(s). ASTM standards must be reviewed every five years and if not revised, either re-approved or withdrawn.

DISCLAIMER: While all Red Wings protect your feet in one way or another, accidents can still happen and injuries can still occur. In an effort to prevent or minimize injury in the event of an accident, we offer footwear with the features above for added protection for your feet from the dangers of the job.

Return to Table of Contents

RED WING WARRANTY

LIMITED WARRANTY RELATING TO RED WING BRANDED FOOTWEAR:

Footwear products bearing the "Red Wing" or "Red Wing Shoes" label are warranted against defects in workmanship and materials. If within 12 months of purchase from an authorized seller, a defect occurs in a Red Wing branded footwear product as the result of normal use, Red Wing will repair the defect or exchange the product. Product failures caused by excessive or abusive wear conditions do not qualify for exchange or purchase credit. This warranty is available only to the original purchaser and is not transferable. No adjustment will be given without the original receipt of purchase from an authorized seller. You must return your footwear to the Red Wing Shoe seller from which the footwear was purchased.

DISCLAIMER: The limited warranty relating to Red Wing branded footwear is in lieu of any other express warranty. No agent, employee or representative of Red Wing has any authority to bind Red Wing to any affirmation, representation or warranty concerning Red Wing branded footwear products, except as stated herein. Red Wing shall not be liable for any consequential, incidental or punitive damages.

This limited product warranty gives you specific legal rights, and you may also have other rights that vary from state to state. Any implied warranties shall be effective for a period not exceeding 12 months from the date of purchase from an authorized seller. Some states do not allow manufacturers to impose time limitations on certain implied warranties, so the above limitation may not apply to you.

RED WING SHOES®
30 DAY
UNCONDITIONAL
COMFORT GUARANTEE

If during the first thirty (30) days immediately following your purchase you are not satisfied with the comfort of your Red Wing branded work footwear for whatever reason, Red Wing will exchange or refund the purchase price to you, no questions asked, provided you still have your dated receipt of purchase. No adjustment will be given without the original receipt of purchase. You must return your footwear to the Red Wing Shoe dealer from which the footwear was purchased. Limit one return per purchase. This guarantee does not apply to WORX, Red Wing Heritage, Irish Setter or Vasque branded footwear.

IRISH SETTER WARRANTY

LIMITED WARRANTY RELATING TO IRISH SETTER FOOTWEAR

This warranty is available only to the original purchaser and is not transferable. No adjustment will be given without the original receipt of purchase from an authorized seller. You must return your footwear to the Irish Setter seller from which the footwear was purchased. Irish Setter Work branded footwear products are warranted against defects in workmanship and materials. If within 6 months of purchase from an authorized seller, a defect occurs in an Irish Setter Work branded footwear product as the result of normal use, Red Wing Brands of America, Inc. ("Red Wing") will repair the defect or exchange the product. Product failures caused by excessive or abusive wear conditions do not qualify for exchange or purchase credit.
Irish Setter Hunt branded footwear products are warranted against defects in workmanship and materials. If within 12 months of purchase from an authorized seller, a defect occurs in an Irish Setter Hunt branded footwear product as the result of normal use, Red Wing Brands of America, Inc. ("Red Wing") will repair the defect or exchange the product. Product failures caused by excessive or abusive wear conditions, or if worn for occupational purposes, do not qualify for exchange or purchase credit.

DISCLAIMER: The limited warranty relating to Irish Setter branded footwear is in lieu of any other express warranty. No agent, employee or representative of Red Wing has any authority to bind Red Wing to any affirmation, representation or warranty concerning Irish Setter branded footwear products, except as stated herein. Red Wing shall not be liable for any consequential, incidental or punitive damages.

This limited product warranty gives you specific legal rights, and you may also have other rights that vary from state to state. Any implied warranties shall be effective for a period not exceeding 6 months from the date of purchase from an authorized seller. Some states do not allow manufacturers to impose time limitations on certain implied warranties, so the above limitation may not apply to you.

WORX WARRANTY

LIMITED WARRANTY RELATING TO WORX FOOTWEAR:

WORX branded footwear products are warranted against defects in workmanship and materials. If within 6 months of purchase from an authorized seller, a defect occurs in a WORX branded footwear product as the result of normal use, Red Wing Brands of America, Inc. ("Red Wing") will repair the defect or exchange the product. Product failures caused by excessive or abusive wear conditions do not qualify for exchange or purchase credit. This warranty is available only to the original purchaser and is not transferable. No adjustment will be given without the original receipt of purchase from an authorized seller. You must return your footwear to the WORX seller from which the footwear was purchased.

DISCLAIMER: The limited warranty relating to WORX branded footwear is in lieu of any other express warranty. No agent, employee or representative of Red Wing has any authority to bind Red Wing to any affirmation, representation or warranty concerning WORX branded footwear products, except as stated herein. Red Wing shall not be liable for any consequential, incidental or punitive damages.

This limited product warranty gives you specific legal rights, and you may also have other rights that vary from state to state. Any implied warranties shall be effective for a period not exceeding 6 months from the date of purchase from an authorized seller. Some states do not allow manufacturers to impose time limitations on certain implied warranties, so the above limitation may not apply to you.

CHANGE NOTICE

We have made every effort to make this catalog accurate. Due to improvement of product performance and availability of materials, there may be specification changes made during the year. Red Wing Brands of America, Inc. reserves the right to discontinue or drop products, sizes, widths or styles without prior notice. Policies, specifications and designs are subject to change without notice. For current warranty information, including return policies, please visit our website at: **www.redwingshoes.com/red-wing-shoes-warranty**

Style #	Pg	ST	AT	NT			PR	MT	EH	SD
133	13								●	
400	61				●				●	
401	41				●				●	
405	42				●				●	
411	63				●				●	
415	40				●				●	
432	36				●	●			●	
435	41				●				●	
606	47								●	
608	65								●	
609	45								●	
616	69				●	●			●	
620	70				●				●	
903	64								●	
912	45								●	
971	44	●			●				●	
1172	74				●				●	
1204	36				●	●			●	
1242	59				●	●			●	
1447	62				●				●	
2030	94		●						●	
2033	91		●						●	
2035	93		●							●
2036	94		●						●	
2203	64	●							●	
2204	75	●			●				●	
2205	47		●						●	
2208	75	●			●				●	
2212	45	●							●	
2216	70	●			●				●	
2217	70	●			●				●	
2218	70	●							●	
2219	69	●			●	●			●	
2230	75	●			●				●	
2231	76	●							●	
2233	64	●							●	
2234	46			●					●	
2235	46			●					●	
2240	41			●	●				●	
2241	46			●						●
2244	59			●	●	●			●	
2245	46	●							●	
2253	73			●	●				●	
2260	36			●	●	●			●	
2272	74	●			●				●	
2280	62			●	●				●	
2307	92			●						●
2308	91			●						●
2309	92			●						●
2327	93	●			●				●	
2328	94			●	●				●	
2338	92		●						●	
2339	92		●						●	
2340	93			●	●				●	
2343	92			●					●	
2345	95			●	●				●	
2346	95			●	●				●	
2347	95			●	●				●	
2348	93			●					●	
2400	38			●	●		●		●	
2401	41		●		●				●	
2403	38			●	●		●		●	
2405	76	●							●	
2406	47	●							●	
2407	42			●	●				●	
2408	65	●							●	
2409	62		●		●				●	
2410	39			●	●				●	
2411	39			●	●				●	
2412	58	●			●	●	●		●	
2414	61	●			●		●		●	
2415	42			●	●				●	
2416	58	●			●	●	●		●	
2418	63			●	●				●	
2433	84			●	●			●	●	
2434	85			●	●			●	●	
2436	39		●		●				●	
2440	43			●	●				●	

Style #	Pg	ST	AT	NT			PR	MT	EH	SD
2441	43			●	●				●	
2442	63			●	●				●	
2443	42			●	●				●	
2451	40		●		●				●	
2453	40		●		●				●	
2454	41		●		●				●	
2455	60		●		●		●		●	
2491	62	●			●				●	
2493	63	●			●				●	
2499	74	●			●				●	
3500	36			●	●		●		●	
3504	37	●			●		●		●	
3505	76	●					●		●	
3506	37			●	●		●		●	
3507	44	●					●		●	
3508	64	●					●		●	
3512	60			●	●		●		●	
3513	36			●	●	●	●		●	
3516	85			●	●		●	●	●	
3517	37			●	●		●		●	
3519	37			●	●		●		●	
3520	60			●	●		●		●	
3524	60			●	●		●		●	
3530	85			●	●		●	●	●	
3531	61			●	●		●		●	
3532	38			●	●		●		●	
3534	85			●	●		●	●	●	
3541	28	●					●		●	
3542	94			●	●				●	
3548	58			●	●	●	●		●	
3552	58			●	●	●	●		●	
3553	73			●	●		●		●	
3554	95			●	●				●	
3555	72			●	●	●	●		●	
3561	38	●			●		●		●	
4200	61	●			●				●	
4201	73			●	●				●	
4215	40	●			●				●	
4216	41			●	●				●	
4217	40	●			●				●	
4239	73		●		●				●	
4250	72			●	●				●	
4293	74	●			●				●	
4402	42			●	●				●	
4404	36	●			●	●			●	
4409	45		●						●	
4412	45		●						●	
4416	69	●			●	●			●	
4417	69	●			●	●			●	
4420	70	●			●				●	
4421	84			●				●	●	
4422	86			●				●	●	
4423	39		●		●				●	
4426	45		●						●	
4427	62			●	●				●	
4433	84	●			●			●	●	
4435	86	●			●			●	●	
4436	87	●			●			●	●	
4441	75	●				●			●	
4442	59	●			●	●			●	
4443	61			●	●				●	
4448	74		●		●				●	
4450	59			●	●	●			●	
4454	59			●	●	●			●	
4456	84			●				●	●	
4469	63	●			●				●	
4470	76	●							●	
4473	64	●							●	
4489	86	●			●	●		●	●	
4492	86	●						●	●	
4499	87	●			●			●	●	
5007	31		●						●	
5010	31		●						●	
5015	31	●								●
5018	18	●								●
5019	18	●								●
5023	19			●					●	
5024	17			●					●	

Style #	Pg	ST	AT	NT			PR	MT	EH	SD
5026	21			●					●	
5027	32	●							●	
5028	32	●							●	
5032	31		●						●	
5033	32		●							●
5034	32		●							●
5037	33		●						●	
5038	33		●							●
5039	19			●					●	
5040	33		●						●	
5041	33		●						●	
5043	19	●							●	
5045	17	●								●
5046	18	●							●	
5102	106			●					●	
5108	99		●						●	
5116	104			●					●	
5117	104			●					●	
5118	102	●								●
5119	105	●						●	●	
5120	103	●							●	
5122	105	●							●	
5123	102	●							●	
5124	103	●							●	
5126	106	●							●	
5128	105	●			●				●	
5131	106	●							●	
5132	101	●								●
5133	100		●						●	
5134	100		●							
5135	102			●					●	
5136	103			●					●	
5137	99		●						●	
5140	100		●						●	
5141	101		●						●	
5143	99	●							●	
5144	103	●							●	
5145	102	●								●
5146	101	●							●	
5152	105	●						●	●	
5154	106	●							●	
5156	104	●							●	
5157	100	●							●	
5158	99	●							●	
5266	54			●					●	
5290	68			●					●	
5400	34	●							●	
5402	34			●					●	
5406	21	●							●	
5407	21	●							●	
5417	20			●					●	
5418	20	●								●
5421	88	●						●	●	
5422	55	●							●	
5423	55	●							●	
5424	54	●							●	
5425	55	●							●	
5427	21	●							●	
5454	104		●						●	
5469	20	●							●	
5486	89	●						●	●	
5489	90	●						●	●	
5501	34	●							●	
5584	88	●						●	●	
5601	88			●				●	●	
5605	56	●							●	
5606	53	●			●				●	
5607	56	●							●	
5610	89	●						●	●	
5611	53			●	●				●	
5613	89	●						●	●	
5623	53			●	●				●	
5626	89	●						●	●	
5628	56	●							●	
5629	55			●					●	
5631	56	●							●	
5700	82	●			●				●	
5800	54	●					●		●	

Return to Table of Contents

Style #	Pg	ST	AT	NT			PR	MT	EH	SD
5802	68			●	●	●			●	
5829	90	●						●	●	
5906	54	●					●		●	
5908	68	●					●		●	
5918	90	●					●		●	
5923	19			●					●	
5924	17			●					●	
6105	102								●	
6113	102								●	
6330	23		●						●	
6337	23		●							●
6338	23		●						●	
6342	23		●						●	
6343	24			●					●	
6344	24			●					●	
6346	24			●					●	
6347	24			●					●	
6348	25			●					●	
6349	26			●	●				●	
6352	25			●					●	
6354	25			●						●
6402	19								●	
6404	19								●	
6513	20			●					●	
6550	17			●					●	
6553	101			●					●	
6555	18			●					●	
6556	34			●					●	
6558	16			●					●	
6601	26			●	●				●	
6603	28			●	●				●	
6605	27			●	●				●	
6608	27			●	●				●	
6613	27			●	●				●	
6614	27			●	●				●	
6617	43			●	●				●	
6633	13	●							●	
6670	43	●			●				●	
6671	26		●		●				●	
6672	26		●		●				●	
6674	44		●		●				●	
6690	44		●		●				●	
6692	28		●						●	
6705	11			●						●
6706	12			●					●	
6708	13			●						●
6709	13			●					●	
6712	13			●						●
6713	12			●						●
6714	14		●							●
6715	14		●						●	
6716	14		●							●
6719	15		●							●
6720	15		●						●	
6721	12		●						●	
6722	12		●							●
6800	25			●						●
8337	23									●
8670	43				●				●	
8672	26				●				●	
8692	28								●	
8701	14	●								●
8706	12									●
8712	13									●
59001	77	●			●		●		●	
59002	77				●				●	
59005	77	●			●				●	
83106	29	●							●	
83108	28			●	●				●	
83110	15		●						●	
83112	15		●						●	
83114	16		●						●	
83116	16		●						●	
83206	98	●			●				●	
83212	96			●	●				●	
83214	97			●	●				●	
83216	97			●	●				●	
83218	98			●	●				●	

Style #	Pg	ST	AT	NT			PR	MT	EH	SD
83224	96			●	●				●	
83226	98	●							●	
83228	97			●	●				●	
83230	97			●	●				●	
83232	96			●	●				●	
83234	96			●	●				●	
83236	98	●			●		●		●	
83300	16	●							●	
83400	48		●		●				●	
83402	30	●			●				●	
83403	30				●				●	
83410	30	●							●	
83412	29			●	●				●	
83418	30			●	●				●	
83420	30			●	●				●	
83422	29			●	●				●	
83428	29			●	●				●	
83602	48			●	●		●		●	
83605	51								●	
83606	51		●						●	
83607	52								●	
83608	52	●							●	
83612	52	●							●	
83614	49		●		●				●	
83614	49		●		●				●	
83615	47				●	●			●	
83616	47		●		●	●			●	
83617	49				●				●	
83618	49	●			●				●	
83620	51			●	●				●	
83621	50				●				●	
83622	51			●	●				●	
83623	52								●	
83628	48			●	●				●	
83630	51			●	●				●	
83632	50			●	●				●	
83634	53			●					●	
83636	49			●	●				●	
83638	52			●					●	
83640	49			●	●				●	
83642	50			●	●				●	
83644	87			●	●			●	●	
83646	50			●	●				●	
83648	50		●		●				●	
83650	87		●		●			●	●	
83652	52		●						●	
83654	48			●	●				●	
83656	47			●	●	●			●	
83826	68		●		●				●	
83830	66			●	●				●	
83832	67			●	●				●	
83834	71	●			●				●	
83836	71	●			●				●	
83838	71	●			●	●			●	
83840	66			●	●				●	
83842	66			●	●		●		●	
83844	71	●			●		●		●	
83846	65		●		●	●			●	
83848	65		●		●	●			●	
83850	67		●		●				●	
83852	67	●			●				●	
83854	65			●	●	●			●	
83856	66			●	●		●		●	
83860	67			●					●	
83906	81	●			●				●	
83907	81				●				●	
83908	77		●						●	
83909	77								●	
83910	81	●							●	
83911	81								●	
83912	78	●			●				●	
83916	78	●			●				●	
83923	78				●				●	
83924	78	●			●				●	
83926	79	●			●				●	
83829	71				●				●	
83930	79	●			●				●	
83831	67				●				●	

Style #	Pg	ST	AT	NT			PR	MT	EH	SD
83936	78			●	●				●	
83937	82								●	
83938	79	●			●				●	
83939	80				●				●	
83933	79				●				●	
83942	79	●			●				●	
83946	82	●							●	
83948	82	●							●	
83952	80		●		●				●	
83954	88	●			●		●		●	
83956	80	●			●				●	
83958	81			●					●	
83960	77		●		●	●			●	
83962	81			●	●				●	
83970	80			●	●				●	
83972	80			●	●				●	
89009	82				●				●	
89010	82	●			●				●	

ICON REFERENCE

ST

STEEL TOE
Tempered steel toe caps.

AT

ALUMINUM TOE
Durable, aluminum toe caps are 31% lighter than steel.

NT

NON-METALLIC TOE
Non-metallic toe caps designed for metal sensitive areas.

WATERPROOF
Boot construction that keeps feet dry in wet conditions.

INSULATED
Layers of insulating components provide warmth.

PR

PUNCTURE-RESISTANT
Non-metallic or steel midsole reduces foot injuries due to sole puncture.

MT

METATARSAL GUARD
Equipped with a guard that protects the metatarsal area and toes from falling objects.

EH

ELECTRICAL HAZARD
Extra protection from accidental contact with electrically energized objects.

SD

STATIC-DISSIPATIVE
Helps control the amount of electrical discharge from the body, ideal for sensitive electronic environments.

RED WING STYLES

IRISH SETTER STYLES

WORX STYLES

BOLD = NEW

Return to Table of Contents

RED WING FOR BUSINESS

Let's get started today.

redwingsafety.com

1 (800) 239-1064

RED WING BRANDS OF AMERICA, INC.
RED WING FOR BUSINESS
314 MAIN STREET RED WING MN 55066
1 (800) 239-1064

94018 REV 11/19 © 2020 RED WING SHOE COMPANY, INC.

MIX
Paper from responsible sources
FSC® C016992

Return to Table of Contents